

CONCLUSIONS

PM-12

NET CONTENTS U.S. GALLON

RESIDUAL ROACH SPRAY

ACTIVE INGREDIENTS:

Pyrethrins	950%
Piperonyl butoxide, technical*	100%
N-ethyl bicycloheptane dicarboximide**	185%
2-(1-methylethoxy) phenylmethycarbamate*** ..	500%
Petroleum distillate	91.730%
INERT INGREDIENTS	7.454%

TOTAL 100.00%

*Equivalent to .08% (Gutylcarbityl) (8-propylpiperonyl) ether and .02% related compounds.

****MCK-284 Insecticide Synergist.**

***Baygon® U.S. Patent No. 3,111,539

CAUTION

KEEP OUT OF REACH OF CHILDREN

**This product contains petroleum distillate.
Harmful if swallowed.**

See this panel for further instructions.

Manufactured by
SOUTHERN CHEMICAL PRODUCTS COMPANY, INC.
436 Lower Boundary St. • P.O. Box 205
Macon, Georgia 31207

PRECAUTIONARY STATEMENT
HAZARD IS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

KEEP OUT OF REACH OF CHILDREN
May be harmful if swallowed, inhaled or absorbed through the skin.
and provide adequate ventilation of area being treated. Contact with
be avoided.

STATEMENT OF PRACTICAL TREAT- FIRST AND PROCEDURES*

EYES: Flush with water for 15 minutes and call a physician.
SKIN: Wash thoroughly with soap and water. Seek medical attention.
DIGESTION: Do not induce vomiting. Seek medical aid immediately.
NOTE to physician: Atropine Sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARD

Do not use as a Space Spray. Do not use in edible product areas, restaurants or other areas where food is commercially prepared or areas where food is exposed. Do not use, pour, spill or store near this product in conduits, meter housings, junctions, and switch boxes because of possible shock hazard. Avoid excess wetting of places such as tiles and floor covering.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This formulation gives rapid kill of crawling insects listed in directions. Contains certain chlorinated hydrocarbon and phosphate insecticides. Spray 2-3 weeks after the spray deposit has dried. Spray only on surfaces. Recommended for use in restaurants, cafeterias, factories, warehouses, hotels, motels, schools, hospitals, nursing homes, low as directed.

GENERAL: Spray surface to wetting. Point spray away from people to give large wetting spray droplets.

INDOOR USE: Ants, cockroaches, crickets, silverfish, spiders, scorpions (exposed stage), waterbugs: Spray into cracks, crevices and areas beneath cabinets, refrigerators, sinks, stoves and in and around

OWN DOG TICKS: Spray sleeping quarters of pets, around base of cracks, and local areas of floors. Repeat as needed. Fresh b

OUTDOORS USE: Axta, clover mites, crickets, earwigs, fleas, ticks: Spray infested areas thoroughly including outside window frames, foundations, porches, or other places where insects may runways. Repeat as necessary. Do not spray vegetation.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Do not put conc. containers. Do not store or transport near food or feed. Store.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed. Waste are toxic. Improper disposal of excess pesticide, spray
Federal Law. If these waste cannot be disposed of by use acco-
your State Pesticide or Environmental Control Agency, or the H
the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then off-puncture and dispose of in a sanitary landfill, or by other proce authorities.