


100
500
1000
5000
10000
50000
100000



e
Chem-o-clde
Chem-o-clde

DISINFECTANT-CLEANER-SANITIZER

AOAC Phenol Coefficient S.

ACTIVE INGREDIENTS

n-Alkyl (50% C₁₂, 40% C₁₃, 10% C₁₄) dimethyl Tetra sodium salt of ethylene diamine tetracetic acid
Sodium carbonate

INERT INGREDIENTS

EPA Reg. No. 4450-23

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other Container Directions: When empty, rinse container, crushing or burying in a safe place.

MANUFACTURED BY
CHEMEX INDUSTRIES, INC.
Cleveland, Ohio

EX
MO-GIDE

INITIZER-FUNGICIDE-DEODORANT
S. aureus 35 S. Typhosa 42

| | |
|---------------------------------------|-------|
| Methyl benzyl ammonium chloride | 5.0% |
| Acetic acid | 2.3% |
| | 2.0% |
| | 90.7% |

KIDS
CHILDREN.
other precautions on side panel.
immerse thoroughly with water and destroy it by

NET CONTENTS:
PC. GALLON

ACCOUNTED

JUN 28 1973
4300-51
4450-25

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation.
Do not get in eyes, on skin or on clothing. Protect
eyes and skin when handling.
Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin
with plenty of water for at least 15 minutes. For eyes,
call a physician. Remove and wash contaminated
clothing before reuse. If swallowed, drink promptly
a large quantity of milk, egg whites, gelatin
solution or if these are not available, drink large
quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the
use of gastric lavage. Measures against circulatory
shock, respiratory depression and convulsion
may be needed.