

AQUA MIST INSECTICIDE

NET CONTENTS 1 U.S. GALLON

For Crawling and flying insects

ACTIVE INGREDIENTS:

Resmethrin (3-(phenylmethyl)-3-furanylmethyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate)	0.08% w/w
Pyrethrins	0.02%
Piperonyl Butoxide, Technical	0.02%
INERT INGREDIENTS:	99.88%

TOTAL 100.00% w/w

*Cis/trans isomers ratio, max. 50% ("cis, and min. 70% ("trans.
 **US Patent Nos. 3,465,007 and 3,542,928.
 *Ponick's SGP-1382® brand of resmethrin insecticide.
 Ponick Corporation, 1050 Wall Street West, Lynchburg, VA 24502
 †Equivalent to 0.016% Deltamethrin (Deltapropyl) (peronyl) ether and 0.004% related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use hasta que le expliquen la haya sido explicada ampliamente.
TO THE USER: If you cannot read English, do not use the product has been fully explained to you).

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See side panel for further precautions.

MANUFACTURED BY

SOUTHERN CHEMICAL PRODUCTS CO.
MACON, GEORGIA

ACCEPTED
 SEP 26 1986
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose to list and under EPA Reg. No. 4000-103

Reg # 4000-103
 014 17
 p111

PRECAUTIONARY STATEMENTS/HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in "living areas" while food is exposed. In the home cover all food handling surfaces and cover or remove all food and cooking utensils.

STATEMENT OF PRACTICAL TREATMENT: If In Eyes Flush with plenty of water. Get medical attention if irritation persists. If On Skin Wash with plenty of soap and water. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of washings.

PHYSICAL AND CHEMICAL HAZARDS: Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store this water-base formulation at temperatures below 32°F (0°C).

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

CONTAINER DISPOSAL: For Containers 1 Gallon and Under: Do not reuse empty container. Wrap container and place in trash collection. For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use in non-food areas indoors and outside premises of hotels, motels, homes, preschools, apartment buildings, commercial office, institutional and storage buildings, recreational buildings, boats, ship cabins, and hospitals. **IN HOSPITALS,** remove patients prior to treatment. Ventilate rooms for two hours before returning patients. Also, for use in and around campers, mobile homes, buses and automobiles. This product can be used in cargo planes, trucks, boxcars and ship cargo holds only if the vehicles are not used for transport of food or food products at any time. Also, for use in dog kennels and horse stables. In horse stables, not for application if horses are to be used for food. Do not spray on horses and dogs. Do not spray dog and horse food or feed items. **NOTE TO PEST CONTROL OPERATORS:** One gallon of spray is sufficient to treat 1500 linear feet with a 6 inch spray band.

INDOORS

CONTACT SPRAY: Flying insects - To kill house flies, blackflies, mosquitoes, cluster flies, gnats, fruit flies, flying moths (millers). Apply as a space spray. Mix well before using. Fill spray tank with spray dilution. Adjust pressure and nozzle to deliver a fine spray. Apply as a contact spray, hitting insects directly where possible. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Repeat as necessary.

CRAWLING INSECTS: To kill cockroaches (waterbugs), crickets, silverfish, sawflies, spiders, sowbugs (pillbugs), centipedes, grain mites and grain insects (adults and accessible stages of flour beetles, red flour beetles, sawtoothed grain beetles, cigarette beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths). Apply as a contact spray. Mix well before using. Fill spray tank with spray. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse spray with particle size larger than that of the average aerosol. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, and other points of entry. Spray ant trails, nests, and hills contacting as many ants directly as possible.

OUTDOORS

Premises: for use around residential, commercial and institutional buildings, gardens, greenhouses, yards, patios, mobile homes and campers. To control the pests listed below. **TO KILL HOUSE FLIES, MOSQUITOES, GNATS (Midges), CLUSTER FLIES, BLACK FLIES, FLYING MOTHS (MILLERS), FRUIT FLIES:** Spray resting areas to reduce annoyance from these pests. Hold sprayer 18 to 24 inches from areas to be treated. Spray these with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space, while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

EPA Reg. No. 4000-103

EPA Est. 4000-GA-1