

Reg# 4000-100
PM 17

11/1

SEP 26 1986

Under the Federal Insecticide Fungicide and Rodenticide Act amended, for the pesticide registered under EPA Reg. No. 4000-10

AQUA "10" INSECTICIDE

NET CONTENTS 1 U.S. GALLON

A dilutable insecticide spray
ACTIVE INGREDIENTS:
Pyrethrins 0.1% w/w
*Piperonyl Butoxide, Technical 1.0%
INERT INGREDIENTS: 98.9%

TOTAL 100.0% w/w
*Equivalent to 0.8% (butylcarbityl) 6-propyl piperonyl ether and 0.2% related compounds.
**U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

MANUFACTURED BY

SOUTHERN CHEMICAL PRODUCTS CO.
MACON, GEORGIA

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Hazardous if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply when food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before space spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or unresponsive person.
If in eyes: Flush with plenty of water. Get medical attention.
If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not expose this waterborne formulation to temperatures below 32 degrees F (0 degrees C). Do not apply this product in conduits, water bearings, partitions, and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be stained or harmed by water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store this waterborne formulation at temperatures below 32 degrees F (0 degrees C)

For Containers One Gallon and Under: Store product in original container in a locked storage area.
PESTICIDE DISPOSAL: For Containers Over One Gallon: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse empty container. Wrap container and put in trash.
For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

INSTRUCTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOORS

For use in Hotels, Motels, Homes, Preschools, Apartment Buildings, Commercial, Office, Institutional and Storage Buildings, Recreational Buildings, Packaging and Processing Plants, Milk Handling Areas of Milk Plants, Milk Storage Rooms, Egg Processing Plants, Supermarkets, Restaurants, Bakeries, Flour and Feed Mills, Bakeries, Breads, Ship Cabins, and Hospitals. In Hospitals Patients Should be Removed Prior to Treatment. Also For Use in Campers, Mobile Homes, Boats, Automobiles, Trucks, Bicycles and Ship Cargo Holds. Also For Use in Barns, Stables, Kennels, Poultry Houses, and Other Animal Quarters. When Spraying in Animal Quarters, DO NOT SPRAY FOOD OR FEED TINGS. DO NOT APPLY OR ALLOW TO CONTACT PLANTS BECAUSE OF POSSIBLE INJURY.

NOTE TO PEST CONTROL OPERATORS: One pint (3.79 L) of spray is sufficient to treat 1000 linear feet (457 m) with a 5 m. (15 cm) spray wand.
SPACE SPRAY: Use undiluted product to control house flies, mosquitoes, gnats (midges), wasps, and small flying insects (Chytrids). Close all doors, windows and ventilators. Adjust spray equipment to deliver a fine mist and direct the nozzle upward and outward in all directions. Fill the room with mist at the rate of 0.5 to 1 oz. of spray for each 1000 cu. ft. (28.3 cu. m.) of space. Keep the area closed for 15 minutes, then thoroughly ventilate before entering the treated area.
TO CONTROL BED BUGS AND BITES IN POUALTY HOUSES: Apply undiluted product to a crack and crevice "spot treatment with a coarse spray to areas where the bed bugs and mites hide, such as cracks in walls and floor, crevices, roost poles and nests.

CONTACT SPRAY: Use undiluted product to kill cockroaches (including) flies, houseflies, mosquitoes, houseflies (pigeons), beetle larvae, ants, silverfish (fisher) and crickets. Adjust spray to produce large wetting type spray particles. Direct spray to contact insects on cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborage. Hit as many insects directly as possible. Apply the spray to the point of run-off. Repeat as necessary.

OUTDOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY. DO NOT TREAT MOSQUITOES, GAITS, FLYING BLOODS (GULETS), AND WASPS OUTDOORS. For outdoor use, use undiluted product as an aid in reducing annoyance from these insects in municipalities, camps, parks, playgrounds, stadiums, open-air theaters, recreational areas, camp areas, theaters and concert halls. Spray garbage cans, outdoor garbage receptacles, and other areas where these insects breed. Spray surfaces as thoroughly as possible. Spray outside surfaces of tents, lean to, and shelters in camping areas, the outside of barns, service houses, green-houses, food processing plants, and institutions and structures where they are thoroughly wet, paying particular attention to screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around outdoor light fixtures on porches, in porches, and other places where these insects might be congregating. Repeat as necessary.

ANIMAL TREATMENT: To kill and repel house flies, horn flies, eye flies, deer flies, stable flies and horse flies on dairy and beef cattle, horses, dogs, hogs, sheep and goats. Apply the undiluted spray to a coarse particle spray at the rate of 2 ounces per 100 lbs animal in a daily basis. Apply sufficiently to wet the hair but not to soak the hair. If longer hair or especially if shaved, use up to 1.7 oz (49.6 g) to 1 pt (303 g) applied to all parts of its animal's coat. This further treatment will protect for 5-8 days from stable flies, horn flies, eye flies and deer flies. For dogs and deer flies, use up to 3 days protection from horn flies and deer flies. Avoid spraying in eyes. Repeat as necessary. Any animals made nervous by the sound or feel of the spray can be treated by applying the material with a sponge. Applicator should wear protective clothing and gloves for spraying.

For control of sucking and biting lice, head, tick and sheep ticks on dairy and beef cattle, horses, dogs, hogs, sheep and goats, use a 1 part product to 8 parts water or as a dip or a spray. If used as a spray, make sure the animal hair is thoroughly wet including the head and tail. Repeat the treatment on five days to 100 nearby hatched lice. For biting lice, head, ticks, bedbugs, and mites on poultry: POUALTY SHOULD ONLY BE TREATED WITH THE DILUTE PRODUCT (1 part product to 8 parts water). Treat the birds by dipping them in the solution while holding the wings away from the body to assure thorough coverage. To avoid chilling of the poultry, dip on a warm day, or in a warm building. Applicator should wear protective clothing and gloves.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse or such or its combination with other materials.