

Food Handling Establishments Including Food Processing Plants, Restaurants And Institutions

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly before using.

Vacate treated area and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.


DIRECTIONS FOR USE

For rapid control of exposed roaches, ants, spiders, crickets, silverfish, centipedes, cheese mites, meal worms, grain beetles (confused flour beetles, red flour beetles) and weevils (granary weevils, rice weevils). Apply in a good sprayer adjusted to deliver a coarse wet spray, at a rate of 1 gallon to 750 square feet of surface. Direct spray into locations where these insects are found: garbage compactors, garbage chutes and cans into cracks and crevices, dark corners, behind and beneath sinks, stoves, refrigerators and cabinets, along baseboards and around door and window frames. Spray ant trails, nests and points of entry. Spray insects directly wherever possible.

In case of infested foods in cabinets dispose of the infested material. Remove all contents and clean thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

Repeat treatment if reinfestation occurs.

SPACE SPRAYING: To kill fruit flies, mosquitoes, gnats, small flying moths, wasps and hornets. Close windows and doors and shut off ventilating systems. Remove pets, birds and cover fish aquaria before spraying. Apply as a fine mist using a non-thermal sprayer. Thoroughly fill the area with mist with special attention to light sources which attract these insects. Keep area closed for 15 minutes. Vacate treated area and ventilate before reoccupying.



COMPACTOR and KITCHEN INSECTICIDE SPRAY

Apply with Conventional Mechanical or Compressed Air Equipment.

Effective, Fast Acting Insecticide.

**For Use in Homes, Institutions, Restaurants.
For Use by TRAINED PERSONNEL**

For Use in Industrial and Residential Garbage Compactors, Garbage Chutes, Kitchen Garbage Cans, and other Kitchen Locations.

**EPA Reg. No. 4029-27
EPA Est. No. 4029-NY-I**

THE INSECTICIDAL COMPONENTS OF THIS SPRAY ARE CLASSIFIED AS FOOD ADDITIVES AND WHEN USED AS DIRECTED, ALLOWABLE TOLERANCES WILL NOT BE EXCEEDED.

ACTIVE INGREDIENTS:

Pyrethrins	0.12%
*Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate48%

INERT INGREDIENTS 98.20%

*Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and to 0.24% of related compounds.

CAUTION!

**KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS**

**MANUFACTURED BY
OIL SPECIALTIES & REFINING CO., INC.
18 BRIDGE ST. • BROOKLYN, N. Y. 11201**

CAUTION!
taminat

Remove
spraying

This pr
streams

Do not
apply
areas to
ing of e
product

Do not
ing or c

Do not
tioner
burying
Do not

Wash h
after ha
all cont
before

Wear a
Mining
merly t
Institut
the pro

NE

COMPACTOR and KITCHEN INSECTICIDE SPRAY

Apply with Conventional Mechanical
or Compressed Air Equipment.

Effective, Fast Acting Insecticide.

For Use in Homes, Institutions, Restaurants.
For Use by TRAINED PERSONNEL

For Use in Industrial and Residential Garbage Compactors,
Garbage Chutes, Kitchen Garbage Cans, and other Kitchen
Locations.

EPA Reg. No. 4029-27

EPA Est. No. 4029-NY-1

THE INSECTICIDAL COMPONENTS OF THIS SPRAY ARE CLASSIFIED AS FOOD
ADDITIVES AND WHEN USED AS DIRECTED, ALLOWABLE TOLERANCES WILL NOT
BE EXCEEDED.

ACTIVE INGREDIENTS:

Pyrethrins	0.12%
*Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate48%

INERT INGREDIENTS 98.20%

*Equivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) ether and to
0.24% of related compounds.

CAUTION!

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

MANUFACTURED BY

OIL SPECIALTIES & REFINING CO., INC.
18 BRIDGE ST. • BROOKLYN, N. Y. 11201

CAUTION: Harmful if swallowed. Avoid con-
tamination of food and foodstuffs.

Remove pets, birds and cover fish aquaris before
spraying.

This product is toxic to fish. Keep out of lakes,
streams or ponds.

Do not apply where runoff is likely to occur. Do not
apply when weather conditions favor drift from
areas treated. Do not contaminate water by clean-
ing of equipment, or disposal of wastes. Apply this
product only as specified on this label.

Do not reuse empty container. Destroy by perforat-
ing or crushing and burying in a safe place.

Do not reuse empty drum. Return to drum recondi-
tioner or destroy by perforating or crushing and
burying in a safe place away from water supplies.
Do not breathe spray mist.

Wash hands, arms, and face with soap and water
after handling and before eating or smoking. Wash
all contaminated clothing with soap and hot water
before reuse.

Wear a pesticide respirator jointly approved by the
Mining Enforcement and Safety Administration (for-
merly the U.S. Bureau of Mines) and by the National
Institute for Occupational Safety and Health under
the provisions of 30 CFR Part II.

NET CONTENTS

GALLONS

REGISTERED

29

No. 4029-27

**DIRECTIONS FOR USE
INDOOR APPLICATION**

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Keep the area closed for at least 15 minutes.

Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary. For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: To control exposed stages roaches, ants, silverfish, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, meal worms, grain mites and cadelies:

Use a good spreader adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control **carpet beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control **bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floors. Repeat treatment as needed.


To control **fleas and brown dog ticks:** Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control **clothes moths:** Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

Special attention should be given to seams and folds.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dried, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

Whenever possible directly contact the pests with the spray. In commercial and industrial type applications, infested food products should be fumigated or treated by an approved product.



CRAWLING and FLYING INSECTICIDE SPRAY

EPA Reg. No. 4029-29
EPA Est. No. 4029-NY-1

**Effective, Fast Acting Insecticide.
For Use in Homes, Institutions, Restaurants.**

**For use in Bakeries, Food Plants, Hotels, Motels, Hospitals, Schools,
Office Buildings and Food Processing or Handling Plants.**

The insecticidal components of this spray are classified as food additives and when used as directed, allowable tolerances will not be exceeded.

ACTIVE INGREDIENTS	100%
Pyrethrins	0.15%
Piperonyl Butoxide, Technical*	1.50%
Petroleum Distillate	98.35%

*Equivalent to 1.2% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.3% of related compounds.

CAUTION!

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NET CONTENTS GALLONS

MANUFACTURED BY

OIL SPECIALTIES & REFINING CO., INC.

18 BRIDGE ST. • BROOKLYN, N. Y. 11201

For Use

FOR APPLICATION IN: conventional air fogging equipment.

SPACE SPRAYING: Close door systems. Apply with a good fog. For rapid control of flies, wasps, hornets, Ang moths, Indian meal moths, ward angle, distributing it rate of 3-6 ounces per 1000

CAUTION: Harmful and foodstuffs.

Remove pets, birds and cover

This product is toxic to fish. Do not contaminate water by cleaning. Apply this product only as directed.

Do not reuse empty containers. Burying in a safe place.

Do not reuse this empty drum by perforating or crushing. Do not reuse supplies.

Do not breathe spray mist.

Wash hands, arms, and face before eating or smoking. Wash with hot water before reuse.

Wear a pesticide respirator and Safety Administration the National Institute for provisions of 30 CFR Part II

CRAWLING and FLYING INSECTICIDE SPRAY

EPA Reg. No. 4029-29
EPA Est. No. 4029-NY-1

Effective, Fast Acting Insecticide. For Use in Homes, Institutions, Restaurants.

For use in Bakeries, Food Plants, Hotels, Motels, Hospitals, Schools,
Office Buildings and Food Processing or Handling Plants.

The insecticidal components of this spray are classified as food addi-
tives and when used as directed, allowable tolerances will not be
exceeded.

ACTIVE INGREDIENTS	100%
Pyrethrins	0.15%
Piperonyl Butoxide, Technical*	1.50%
Petroleum Distillate	98.35%

*Equivalent to 1.2% of (butylcarbityl) (6-propylpiperonyl) ether and
to 0.3% of related compounds.

CAUTION!

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NET CONTENTS GALLONS

MANUFACTURED BY
OIL SPECIALTIES & REFINING CO., INC.
18 BRIDGE ST. • BROOKLYN, N. Y. 11201

For Use in Food Plants

FOR APPLICATION IN: conventional thermal, mechanical, or compressed
air fogging equipment.

SPACE SPRAYING: Close doors and windows and shut off ventilating
systems. Apply with a good machine adjusted to deliver a fine mist or
fog. For rapid control of **flies, fruit flies, gnats, mosquitoes, skipper
flies, wasps, hornets, Angoumois grain moths, Mediterranean flour
moths, Indian meal moths, and tobacco moths:** direct spray at an up-
ward angle, distributing it uniformly throughout the entire area, at a
rate of 3-6 ounces per 1000 cubic feet of space.

CAUTION: Harmful if swallowed. Avoid contamination of feed
and foodstuffs.

Remove pets, birds and cover fish aquaria before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do
not contaminate water by cleaning of equipment or disposal of wastes.
Apply this product only as directed on the label.

Do not reuse empty container. Destroy by perforating or crushing and
burying in a safe place.

Do not reuse this empty drum. Return to drum reconditioner or destroy
by perforating or crushing and burying in a safe place away from water
supplies.

Do not breathe spray mist.

Wash hands, arms, and face with soap and water after handling and
before eating or smoking. Wash all contaminated clothing with soap
and hot water before reuse.

Wear a pesticide respirator jointly approved by the Mining Enforcement
and Safety Administration (formerly the U.S. Bureau of Mines) and by
the National Institute for Occupational Safety and Health under the
provisions of 30 CFR Part II.

ents should be confined
od should be removed or
should be covered during

ing. Repeat treatment as
of spot surface treatment

ants, silverfish, spiders,
rice weevils, confused
beetles, spider beetles,
rain mites and cadelies:
t spray. Direct the spray
ts, around containers of
d shelves and drawers.
ls, nests and points of
y floors, walls, and other
et of surface.

and under carpeting and
ards. Spray directly into
reatment as needed.
cularly around tufts and
t baseboards, mouldings,

infested areas, pet beds,
and behind baseboards,
areas of floor and floor
rters following treatment.
ecticide is recommended.

cles from storage, brush
ible. Apply spray liberally
,directing the spray into
es may be treated lightly
staining.

nfested material. Remove
faces of empty cabinets
aper or otherwise protect

he spray. In commercial
cts should be fumigated

