


DIRECTIONS

FLIES, MOSQUITOES, GNATS, WASPS and FRUIT FLIES: Close doors and windows to confine aerosol. Direct spray high into air into all parts of room using a dosage of 4 to 5 seconds per thousand cubic feet. Wait for results; the tiny almost invisible aerosol particles will finally contact and kill the insects. Keep room closed for 15 minutes or more after treating. Repeat as required. When treating localized infestations of fruit flies attempt to directly contact the insects with the aerosol spray.

CEREAL MOTHS: For control of accessible stages close doors and windows to confine aerosol. Treat all areas of room using a dosage of 7 to 10 seconds per 1000 cubic feet, making sure that aerosol penetrates to all corners of room as well as in between and behind stored commodities. Keep room closed for 30 minutes. Repeat weekly or more often if required.

ROACHES and SILVERFISH: Open drawers, cabinets and similar places and direct mist into such places as well as into cracks, crevices and other potential harborage in order to activate insects, using a dosage of 30 seconds per 100 square feet of floor space. Spray insects directly when possible. Follow immediately by applying as a space insecticide spraying 4 to 5 seconds per 1000 cubic feet of space. Keep room closed for 30 minutes after treatment. Repeat treatment weekly until infestation is under control and then every two weeks or as needed. This aerosol insecticide contains a pyrethrum formulation and is specially de-



Aerosol Insecticide

Pyrethrum Type

ORB INDUSTRIES, INC., UPLAND, PA.

Directions—Con'd.

signed for use in Food Processing Plants, Restaurants, Hotels, Bakeries, Institutions, Canning Factories, Dairies, Stores, Markets, etc.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to heat or elevated temperatures may cause can to explode with violence and cause injury. Do not store or place can on radiators, stoves, in the sun or in any location where the temperature will exceed 110°F.

CAUTION: Avoid direct spraying of food. Protect foods and utensils from contamination by removing or covering during treatment. Use as a space spray in food processing plants only when plant is not in operation. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not remain in enclosed areas after treatment is completed. Ventilate after treatment is completed. Do not spray directly against surfaces. Remove birds, pets and fish bowls before spraying. Keep out of reach of children.

ACTIVE INGREDIENTS

Pyrethrin.	0.25%
Technical piperonyl butoxide*	1.00%
Petroleum solvent	13.75%

* Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds.

INERT INGREDIENTS 85.00%

Net Contents 1 lb.
USDA Reg. No. 4077-27

CAUTION: KEEP OUT OF REACH