

## DIRECTIONS

### FLIES, MOSQUITOES, GNATS, FLYING MOTHS, WASPS:

Close doors and windows to confine aerosol spray. Spray 4 to 5 seconds for a room 10 feet by 10 feet and larger rooms in proportion. Direct spray upward and in all directions to aid in dispersing spray. Keep doors and windows closed for 15 minutes after spraying. Repeat as required.

### ROACHES, SILVERFISH & CERTAIN OTHER CRAWLING INSECTS:

Spray into cracks, crevices and other potential harbourages to activate and drive out insects and then spray directly on insects present. Repeat treatments periodically as required.

### FLEAS AND TICKS ON ANIMALS:

Spray animal directly so as to deposit a light mist. Comb or brush hair against lay of hair to expose skin and allow spray to penetrate. Treat animal's back, underside and stomach, tail, back of neck, and ears. Spray directly on ticks when possible. Do not get mist into animal's eyes or nose. Repeat weekly as required. Spray animal's sleeping quarters and bedding regularly as required to control any insects present and prevent reinfestation of animals.

Net contents 1 pound

USDA Reg. 4077-39

No. 38

**ORB**

## AEROSOL TICK-TOX INSECTICIDE

KILLS ON CONTACT

**FLEAS and TICKS**

Flies, Mosquitoes, Wasps, Roaches, Silverfish

ORB Industries, Incorporated  
Upland Pennsylvania

**CAUTION: KEEP OUT OF REACH  
OF CHILDREN. SEE ADDITIONAL  
CAUTIONS ON RIGHT HAND PANEL.**

## CAUTION

Do not store or place on radiators, stoves, in the sun or in any location where temperature will exceed 110°F. If exposed to high temperatures excessive pressure will develop and may cause can to explode. Do not PUNCTURE OR INCINERATE. Do not spray directly against surfaces. Do not use in any location where fish or other aquatic or cold-blooded life is kept. Avoid direct spray of food.

**CAUTION:** Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not remain in treated areas and ventilate the area after treatment is completed. Keep out of reach of children.

### ACTIVE INGREDIENTS

Pyrethrins	0.25 %
Technical piperonyl butoxide*	1.00 %
Rotenone	0.128%
Other Cube' Extractives	0.256%
Petroleum solvent	3.558%

\* Equivalent to 0.8% (butylcarbityl)  
(6-propylpiperonyl) ether and 0.2  
related compounds.

### INERT INGREDIENTS

Isopropanol	14.808%
Methylene Chloride	15.00 %
Trichloromonofluoromethane	25.00 %
Dichlorodifluoromethane	40.00 %

**ACCEPTED**

**NU-30-1971**

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
REGISTERED POISON REGISTER  
4077-39