

[4077-72]

ACTIVE INGREDIENTS

*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methyl- propenyl) cyclopropane- carboxylate	0.250%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.332%
Petroleum distillate	19.374%
INERT INGREDIENTS	80.010%

*Cis/trans isomers ratio: max. 30% (±) cis and min.
70% (±) trans. +U.S. Patent No. 3,465,007

DIRECTIONS FOR USE

Remove protective cap. Holding dispenser upright, point valve in desired direction and press dispenser button to spray.

Mosquitoes, Flies, Gnats: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15 - 30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

USDA Reg. No 4077-72



No. 142

AEROSOL INSECTICIDE

CONTAINS SBP 1382

For Use In

**Bakeries, Food Handling Plants,
Restaurants, Hospitals, Schools,
Hotels, Motels, Office Buildings.**

ORB Industries, Incorporated
Main & Race Sts., Upland, Pa.

Directions Continued

Roaches, Waterbugs, Silverfish: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

CAUTION: Contents under pressure. Do not puncture or throw container into fire or incinerator. Do not expose to temperatures over 120°F. Exposure to heat or elevated temperatures may cause can to explode with violence and cause injury.

When using the product in food processing areas apply only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. Avoid contamination of food and feedstuff. Harmful if swallowed. Cover or remove fishbowls. Remove all pets from area to be treated.

Net Contents 1 lb. Avdp

**CAUTION: KEEP OUT OF REACH
OF CHILDREN. SEE ADDITIONAL
CAUTIONS ON RIGHT HAND PANEL**

