- **INDCO-SEPT** algaecide is efficient, aconomical and stable in use dilution.
- **INDCO-SEPT** is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.
- **INDCO-SEPT** keeps pool water free and sparkling, clear of visible algae, algae slime and green brown colors.
- **INDCO-SEPT** improves filter operation and cuts down need for other chemicals.
- **INDCO-SEPT** imparts tone and a pleasant "feel" to swimming pool water.

# DANGER

KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes severe eye and skin damage.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Do not reuse container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.



## **OUTSTANDING ALGAE GROWTH**

#### ACTIVE INGREDIENT:

Alkyl\* Dimethyl Benzyl Ammonium Chlor \* (C<sup>14</sup>, 60%; C<sup>12</sup>, 25%; C<sup>16</sup>, 15%) INERT INGREDIENTS:

Manufactured by Industrial Chemical Company Of San Francisco Inc Establishment No. 04087 - CA - 01 EPA Registration No. 4087 - 6

## DEPRE\* SANT

ride	
	10%
	90%
	100 %

### DIRECTIONS

Initial Application: To a cleaned pool or pool free of visible algae, add one gallon to 50,000 gallons of water. or ratio thereof. If pool has visible algae growth treat with initial dose. Vacuum pool after 24 hours to remove dead algae debris. If algae are still present or reappear repeat this treatment procedure. When pool is free of visible algae, resume regular maintenance treatment.

Maintenance Dose: Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load heavy, use this dosage every 5 days or as necessary. Booster Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

**Important:** Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

Pool-side Surfaces: After cleaning surfaces, use one cz. to four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting. Apply so as to thoroughly wet surfaces with recommended dilutions.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For 2655 Ingalls St., San Francisco, CA 94124 - Tel. 14157 5225070E Diot ing before reuse. If swallowed, drink promptly a Targe quantity of milk, egg whites, gelatin solution; or if these are not av ilable, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may ONE U.S. GALLON RECEIPTAL IN ACTICIDE AND RODENTIGIDE AND RODE