CONTENTS 5G LBS. NET **COPPER-SEVIN*-SULPHUR PEANUT** 4 - 5 - 75

FOR CONTROL OF

THRIP, LEAFHOPPER, ARMYWORM and LEAFSPOT ON PEANUTS

Active Ingredients:

Copper as Metallic

(Derived from Cuprous and Cupric O Carbaryl (1-naphthyl N-methylcarbamate) Sulphur

Inert Ingredients:

*Trade-Mark of UCC for 1-Naphthyl N-Methylcarbamate

CAUTION: KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

Use this combination insecticide-fungicide at the rate of 20 lbs. per acre at intervals of 10 to 14 days (oftener if washed off by rain) for the control of thrip, leafhopper, armyworm and leafspot on peanuts. Begin applications when the first spots appear on the basal leaves (usually 60-65 days after planting). NOTE: Do not use with lime or other alkaline material. CAUTION: Harmful if swallowed or inhaled. Do not take internally. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs.

NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible, Cholinesterase, inhibitor. Atrophine is antidotal.

NOTICE: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Keep out of any body of water. Fish may be killed.

Meherrin Agricultural & Chemical Company

SEVERN.

1 - -

 γ

くど

 $\sim \sim$

133**-2**1

• 02

il on

Peristra

LISIL:

Б.

۲T),

fr. D

nc

Chemical

cultural

ירד בול בו

Perictroat:

ن م ۲۰۰ ۲۰۰

27977



oxides	4%
•••••••••••••••••••••••••••••••••••••••	5%
	75%
•••••••••••••••••••••••••••••••••••••••	16%

U.S.D.A. Reg. No. 4139 24

NORTH CAROLINA