

NET WEIGHT ---- 5-) LBS. 0%

ACTIVE INGREDIENTS: Carbaryl (1-naphthyl N-Methylcarbamate) INERT INGREDIENTS:

*Trade-Mark of UCC for 1-Naphthyl N-Methylcarbamate

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid unnecessary contact. Wash hands before eating. Take shower bath after work. Wear regular long sleeved work clothing. Change clothing daily. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. NOTE FOR PHYSICIAN: Carbaryl is a moderate reversible, Cholinesterase, inhibitor. Atrophine is antidotal.

DIRECTIONS FOR USE

TOBACCO: HORNWORMS, BUDWORMS and FLEA BEETLES.

Apply 15 to 25 lbs. per acre in broadcast applications. Full coverage of plants is essential. Begin treatments when worms are small. Repeat as needed. Use the highest dosage on large plants. FOR BUDWORMS when hand dust applications are directed to the bud and top leaves only, apply 4 to 6 lbs. per acre. Avoid heavy applications with cloth bags as plant injury may result. COTTON: For early season Thrips, Elea Beetles and Cotton Eleahonpers; also for Cotton Leafworms and Striped Blister Beetles. Apply 5 to 10 lbs. per acre on appearance of insects. For Mid and Late Season Boll Weevil, Bollworms, Fall Armyworms, Cot-

ton Leaf Perforators, Leaf Rollers, Leafhoppers and Tarnished Plant Bugs. Apply 10 to 20 lbs. per acre, depending on the size of Cotton and insect infestation level. Applications for Boll Weevils should be made every five to seven days as long as control is necessary. For Pink Bollworms: Apply 15 to 25 lbs. per acre on a five to seven day schedule, depending on the size of cotton and the degree of infestation. Sevin may be applied after bolls open. DO NOT GRAZE TREATED FIELDS OR FEED TRASH TO DAIRY OR MEAT ANIMALS.

NOTICE: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Meherrin Agricultural & Chemical Company **NORTH CAROLINA**

SEVERN,

VEVL

С C

Ceol

_كم

11113

Arrich 58

นเนานอ

t. .

ход

F. D. D. Severn,

 \sim . . .

202

-27


39

EL L

2:

Ч

с Д



U. S. D. A. Reg. No. 4139-27