For Outdoor Fogging Appplication around Residences, Parks, Playgrounds, Golf Courses, Municipalities and Drive in Theaters and Restaurants

Kills Mosquitoes, Gnats, Flys and Moths

As a Contact Spray Indoors or Outdoors Kills Ants, Roaches, Spiders, Crickets, and Box Elder Bugs. Use as a Spot Surface Application avoiding any Contact with Food or Food Products

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS; Harmful if swallowed. Avoid contact with eyes and skin. Avoid inhalation of spray mist. Avoid contamination of food and feed. FIRST AID: If swallowed, do not induce vomiting. Call a physician immediately. In case of skin contact, wash with soap and water

NOTE TO PHYSICIAN: Lavage stomach carefully to guard against aspiration of fluid into

ENVIRONMENTAL HAZARDS: Do not contaminate water used for irrigation or domestic purposes. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is toxic to fish.

PHYSICAL CR CHEMICAL HAZARDS: Do not use, pour, spiil or store near heat or open tlame.

STORAGE AND DISPOSAL

1. PROHIBITIONS


Do not contaminate water, food, or feed by storage or disposal open dumping is prohibited. 2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill. Approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

(a) Reseat container and offer for reconditioning, or (b) Triple tinse (or equivalent) and Offer for recycling, reconditioning, or disposal in approved landfin, or bury in a safe place 4. GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures



BETCO **MOSQUITO FOGGING** SPRAY

ACTIVE INGREDIENTS	
Pyrethrins	0.050%
*Piperonyl butoxide technical	0.125%
**Malathion	2.000%
Aromatic petroleum derivative solvent	7.625%
Petroleum distillate	90 200%
	100.000%

- *Equivalent to 0.100% (butylcarbity!) (6-propyl piperonyl) ether and to 0 025% related compounds
- **0.0-Dimethyl dithiophosphate of diethyl mercapto-

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional **Precautionary Statements.**

Harmful if swallowed Avoid Breathing of fog or mist. Avoid contact with skin: wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

E.P.A. EST. NO. 4170 OH-1 E P.A. REG. NO. 4170-20

DIRECTIONS

This ready-to-use insecticide may dispersed through conventional therm mechanical or compressed air logging spraying equipment.

To control ADULT MOSQUITOES a GNATS: Apply as a fog or fine mist at a re of 1 to 3 gallons per acre (3 to 9 fluid ounc per 1000 square feet), filling the entire at with vapor. For best results, treat when the wind velocity does not exceed 5 miles | hour. Application in the evening or ea morning is recommended. Treat as thoroughly with particular attention to 1 or marshy locations, shore lines, stagni pools or ponds and vegetation where m quitoes may rest. Repeat treatment necessary, usually once or twice a weel

Using mobile or truck-mounted equipme the above application rate will result wh traveling at a speed of 5 m.p.h. if a 400 fo wide swath is treated with insectic uispersed at a rate of from 240 to 6 gallons per hour.

FLIES AND MOTHS, OUTDOORS: Fill at with fog or mist to kill flies and small flyi moths (millers). Repeat treatment necessary, usually once or twice a week

DANA TO MOITQU'GER YRANGOMET ANCE: The aforementioned applications mosquitoes, gnats, flies and moths will ford temporary reduction of annoyance for these pests in public gatheringplaces su as parks and open sports stadia. Applicati should be made prior to attendance.

ANTS, SPIDERS, CRICKETS, ROACHI AND BOX ELDER BUGS: To control crawl insects, direct a course spray at the inseand infested areas applying enough to v the surface without any run-off of the spr Repeat after 2 to 4 weeks, or as needed.

NET CONTENTS 55 GALLONS



19