1,00 10-51-83

For Outdoor Fogging Appplication around Residences, Parks, Playgrounds, Golf Courses, Municipalities and Drive-In Theaters and Restaurants

Kills Mosquitoes, Gnats, Flys and Moths

As a Contact Spray Indoors or Outdoors Kills Ants, Roaches, Spiders, Crickets, and Box Elder Bugs. Use as a Spot Surface Application avoiding any Contact with Food or Food Products

## KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harniful if swallowed Avoid contact with eves and skin. Avoid inhalation of spray mist. Avoid contamination of food and feed. FIRST AID: If swallowed, do not induce vomiting. Call a physician immediately. In case of

skin contact, wash with soop and water

NOTE TO PHYSICIAN: Lavage stomach carefully to guard against aspiration of fluid into

ENVIRONMENTAL HAZARDS: Do not contaminate water used for irrigation or domestic purposes. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is texic to fish

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open

#### STORAGE AND DISPOSAL


Do not contaminate water, food, or feed by storage or disposal open dumping is prohibited 2 PESTIC!DE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill. Approved for pesticides or buried in a safe place away from water supplies.

#### I. CONTAINER DISPOSAL

itiainst and offer for reconditioning, or (b) Triple . inse (or equivalent) and; Offer recognitioning, or disposal in approved landfill, or bury in a safe place.

local disposal authorities for approved alternative procedures.



# BETCO PB-361 **MOSQUITO FOGGING** SPRAY

**ACTIVE INGREDIENTS:** 0.050% **Pyrethrins** 0.125% \*Piperonyl butoxide technical 2.000% "Malathion Aromatic petroleum 7.625% derivative solvent Petroleum distillate 90.200% 100.000%

- \*Equivalent to 0.100% (butylcarbityl) (6-propylpiperonyl) ether and to 0.025% related compounds
- \* \*0.0-Dimethyl dithiophosphate of diethyl mercaptosuccinate

## **KEEP OUT OF REACH OF CHILDREN** CAUTION

See side panel for additional Precautionary Statements.

Harmful if swallowed, Avoid Breathing of fog or mist, Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS, JANITORS, OR MAINTENANCE PERSONNEL.

> E.P.A. EST. NO. 4170-OH-1 E.P.A. REG. NO. 4170-20



TOLEDO, OHIO

### DIRECTIONS

This ready-to-use insecticide may be dispersed through conventional thermol. mechanical or compressed air fogging or spraying equipment.

To control ADULT MOSQUITOES and GNATS: Apply as a fog or fine mist at a rate of 1 to 3 gallons per acre (3 to 9 fluid ounces per 1000 square feet), filling the entire area with vapor. For best results, treat when the wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended. Treat area thoroughly with particular attention to low or marshy locations, shore lines, stagnant pools or ponds and vegetation where mosquitoes may rest. Repeat treatment as necessary, usually once or twice a week.

Using mobile or truck-mounted equipment. the above application rate will result when traveling at a speed of 5 m.p.h. if a 400 foot wide swath is treated with insecticide dispersed at a rate of from 240 to 620 gallons per hour.

FLIES AND MOTHS, OUTDOORS: Fill area with fog or mist to kill flies and small flying moths (millers). Repeat treatment as necessary, usually once or twice a week.

TEMPORARY REDUCTION OF ANNOY-ANCE: The aforementioned applications for mosquitoes, unats, flies and moths will afford temporary reduction of annoyance from these pests in public gatheringplaces such as parks and open sports stadla. Application should be made prior to attendance.

ANTS, SPIDERS, CRICKETS, ROACHES, AND BOX ELDER BUGS: To control crawling insects, direct a course spray at the insects and infested areas applying enough to wet the surface without any run-off of the spray. Repeat after 2 to 4 weeks, or as needed.

NET CONTENTS 56 GALLONS

# 361