

ONE SHOT detergent/disinfectant

Cleaner-Disinfectant-Deodorizer-Detergent-Virucide*
Fungicide (against Pathogenic fungi)-Sanitizer
Mildewstat (on hard inanimate surfaces)

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₂ , 30% C ₁₄ , 5% C ₁₆ , 5% C ₁₈)	4.5%
dimethyl benzyl ammonium chlorides	
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	4.50%
dimethyl ethylbenzyl ammonium chlorides	91.00%
INERT INGREDIENTS:	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panels for additional precautionary
and practical treatment statements.

EPA REG. NO. 4170-30
EPA EST. NO. 4170-OH-1

NET CONTENTS:
55 GALLONS



Toledo, Ohio 43607

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION - To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 1 ounce detergent/disinfectant per gallon of water. Apply solution with mop, cloth, or sponge or mechanical spray as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 1 ounce detergent/disinfectant directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops) add 1 ounce detergent/disinfectant per gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION - To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200ppm active quaternary solution by adding 1 ounce detergent/disinfectant to 3 1/2 gallons of water. At this level NO POTABLE WATER RINSE is required.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm detergent/disinfectant solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200ppm detergent/disinfectant solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

DISINFECTION - At 1 ounce per gallon dilution, this product exhibits effective disinfectant activity against the following:

Pseudomonas aeruginosa PRD-10
Escherichia coli
Klebsiella pneumoniae
Salmonella schultzei
Salmonella choleraesuis
Streptococcus salivarius

Brevibacterium ammoniagenes
Streptococcus faecalis
Shigella dysenteriae
Enterobacter aerogenes
Staphylococcus aureus

ACCEPTED

MAY 27 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 4170-30