

MAR 19 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 4170-30

Detergent/Disinfectant
Cleaner, Deodorizer, Virucide*,
Fungicide**, Sanitizer,
Mildewstat***

ACTIVE INGREDIENTS	
~ 4 wt. % (C ₁₂ : 60%, C ₁₀ : 20%, C ₈ : 5%, C ₆ : 5%)	
d-methylbenzylammonium chloride	4.50%
~ 4 wt. % (C ₁₂ : 58%, C ₁₀ : 32%)	
d-methylbenzylammonium chloride	4.50%
INERT INGREDIENTS	
	91.00%
	TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

See instruction panel for additional
precautions and directions for treatment statements.
FOR INDUSTRIAL AND INSTITUTIONAL
USE ONLY BY TRAINED PERSONNEL

EPA EST. NO. 4170-OH-1
EPA REG. NO. 4170-30



DESCRIPTION

This product is a phosphate free concentrated detergent/detergent which provides oil, grease, dirt, lacquer, varnish, and rust removal. This detergent/detergent has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where maintaining a safe environment is considered the highest of all concerns.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harbors continued. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food, clothing and wash contaminated sections.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink water, egg whites, gelatin solution or if there are also fumes, use aird tight quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable success savings may counterbalance the use of genetic drugs. Measures against stroke
very short, respiratory depression and apnea may be avoided.

STORAGE AND DISPOSAL

Store in original container only. Do not combine with water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Triple flow for equipment. Then either by spraying or mechanical means, or by other means of disposal of in a sanitary landfill, or by other procedures approved by State and local authorities.

Manufactured By:
Betco Corp., Toledo, Ohio

ONE GALLON

DIRECTIONS FOR USE

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. The following disclaimers have been designed specifically for cigarette, chewing tobacco, alcohol, food processing plants and other facilities where tampering is of great importance.

DISINFECTION: To destroy hardy organisms that survive in soil, sludge, sludge liquid, and I should state sludge gas, use glutaraldehyde. Apply glutaraldehyde with spray, brush, or sponge in maximum exposure as you can tolerate safely. Allow to remain wet for 10 minutes and then let it dry. Always allow sufficient time to disinfect before reuse. Then, repeat, and I should caution against glutaraldehyde's ability to break down steel. Soak the metal completely using a warm brush or toilet brush, making sure to get under the rivet. Let remain for 10 minutes and then, for heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAY—To control mildew and mold on pre-stained, hard-surface materials (such as floors, walls) add 1 ounce detergent/conditioner per gallon of water. Apply solution with a cloth, scrub or sponge brush pure to wet surface completely. Let dry. Repeat solution for best results. Repeat application of weekly routine or when mildew growth resumes. Do not use on hard wood surfaces.

SANITIZATION—To sanitize previously stained and rinsed surfaces on local carpeted surfaces, prepare 200 ppm available chlorine solution by adding 1 ounce detergent/detergent to 3 1/2 gallons of water. At this level, NO POTABLE WATER RISK is created.

To control varroa mite (such as black, slippery mites, winter mites), feed the bees with 200 ppm chlorogenic acid solution or apply with a cloth or sponge. Feeding must be used as a measure complementary to at least 30 seconds. Let air dry. Prepare a fresh solution for each use.

To maintain outside walls such as driving gutters, eaveless joints, windows in 200 spots, subsequent destructions happen for at least 10 minutes. Let it dry. Prepare a fresh solution daily or more frequently as and is required.

DISINFECTION—At 1 cubic per gallon dilution, this product kills... effective disinfectant activity against the following:

Pochodzenie: europejskie (F10-10) Rodzaj: trawa Ciężkość: średnia Ciężkość: ciężka Ciężkość: ciężka	Pochodzenie: europejskie (F10-10) Rodzaj: trawa Ciężkość: średnia Ciężkość: ciężka Ciężkość: ciężka
---	---

[illegible]

On Non-Food Contact Hard Plastics Surface

Authorized by the USDA for use in federally
inspected meat and poultry plants.

BEST AVAILABLE COPY