

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. When used as directed, this disinfectant/deodorant demonstrates effective disinfection against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, and Trichophyton mentagrophytes. This product is effective against Pathogenic Fungi (Athlete's Foot Fungus).
MOLD AND MILDEWSTAT: This disinfectant/deodorant prevents and controls mold and mildew and the odors they cause on hard, nonporous surfaces when used as directed. This disinfectant/deodorant has been designed specifically for hospitals, nursing homes, institutions, offices, schools, motels, and hotels as a disinfectant, deodorant, and air refresher. It is recommended for disinfecting telephones, bed springs, door knobs, linen carts, hampers, wheel chairs, light switches, garbage pails, and other clean, inanimate, hard, nonporous surfaces. **SURFACE DISINFECTION AND DEODORIZATION:** (1) Preclean all surfaces to be disinfected. (2) Hold can six inches from surface and spray until completely wet, allowing the surface to remain wet for 10 minutes. Allow to air dry. **AIR DEODORIZER AND AIR REFRESHNER:** Point spray upwards to center of room and spray for three seconds. **MILDEWSTAT:** To control mold and mildew on hard, nonporous surfaces (such as floors, walls, table tops), spray the surfaces to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.
KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surface to remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.
ANTIVIRUCIDAL PERFORMANCE: This product was evaluated and found to be effective against Herpes Simplex Type 1 (virus that causes cold sores) and Herpes Simplex Type 2 (virus that causes venereal disease) on precleaned, hard, nonporous, inanimate environmental surfaces for a contact time of 10 minutes.
RESIDUAL SELF-SANITIZING ACTIVITY: This product has been evaluated and found to have residual self-sanitizing activity in 5 minutes on precleaned, hard, nonporous, inanimate environmental surfaces. This residual sanitizing activity is applicable to surfaces that are reasonably expected to become wet under normal conditions such as shower and restroom fixtures. This residual self-sanitizing activity will continue for 5 days or until the surface is rinsed or cleaned.

ACCEPTED
 SEP 8 1994
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4170-38

**PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals**

WARNING

Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Replace cap and discard container in trash.




Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Manufactured By:



5854

**EPA EST. NO. 4170-OH-1
 EPA REG. NO. 4170-38**



GLYBET

**Hospital Disinfectant
 Deodorant**

Hospital Desinfectante/Desodorante

Fresh & Clean

Kills HIV on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

- * Effective against Herpes Simplex Type 1 and Type 2 (See side panel)
- ** Five day residual self-sanitizing activity

Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

n-Alkyl (C₁₄ 60%, C₁₆ 30%, C₁₂ 5%, C₁₈ 5%) dimethyl benzyl ammonium chlorides 0.2%
 n-Alkyl (C₁₂ 68%, C₁₄ 32%) dimethyl ethylbenzyl ammonium chlorides 0.2%

INERT INGREDIENTS: 99.6%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING:

See back panel for additional precautionary statements. For industrial and institutional use only.

Net Wt. 14 ounces

DD/85

BEST AVAILABLE COPY