

CIDE-BET

HOSPITAL DISINFECTANT/FOAMING
GERMICIDAL CLEANER



DIRECTIONS FOR USE

PRE-CLEANING: Surfaces must be pre-cleaned with a detergent to remove soil. Spray diluted solution. Scrub with a brush. Rinse with water. Dry. **APPLICATION:** Dilute 1:10. Spray diluted solution. Scrub with a brush. Rinse with water. Dry. **DISINFECTANT/FOAMING:** Dilute 1:10. Spray diluted solution. Allow foam to penetrate and remain wet for 10 minutes. Rinse with water. Dry. **MOLD AND MILDEWSTAT:** Dilute 1:10. Spray diluted solution. Allow foam to penetrate and remain wet for 10 minutes. Rinse with water. Dry. **DISINFECTION, DECONTAMINATION AND CLEANING:** Dilute 1:10. Spray diluted solution. Allow foam to penetrate and remain wet for 10 minutes. Rinse with water. Dry. **KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS:** Dilute 1:10. Spray diluted solution. Allow foam to penetrate and remain wet for 10 minutes. Rinse with water. Dry.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: Wear handgloves when soiled with blood or body fluids. Avoid contact with eyes, nose, mouth, and skin. **CLEANING PROCEDURES:** Blood and other body fluids should be removed from surfaces with a detergent. **CONTACT TIME:** Allow surfaces to remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of as waste. **MILDEWSTAT:** Dilute 1:10. Spray diluted solution. Allow foam to penetrate and remain wet for 10 minutes. Rinse with water. Dry. **VIROCIDAL PERFORMANCE:** Effective against Herpes Simplex Type 1 virus that is 10⁶ TCID₅₀/ml. **RESIDUAL SELF-SANITIZING ACTIVITY:** This product has been found to have a residual self-sanitizing activity of 5 minutes on pre-cleaned and disinfected non-porous inanimate environmental surfaces. This residual self-sanitizing activity is independent of the surface being disinfected and is expected to become wet under normal conditions. This residual self-sanitizing activity will continue for 5 days or until the surface is re-cleaned.

ACCEPTED
AUG 1 1995
Under the Federal Insecticide, Fungicide and Rodenticide Act amended, for the pesticide registered under EPA Reg. No. 4170-41

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING
Causes eye irritation. Causes skin and eye irritation. Harmful if swallowed.
STATEMENT OF PRACTICAL TREATMENT
In case of eye contact, flush with water for 15 minutes. For eye contact, flush with water for 15 minutes. For eye contact, flush with water for 15 minutes. For eye contact, flush with water for 15 minutes. For eye contact, flush with water for 15 minutes.
PHYSICAL OR CHEMICAL HAZARDS
Contains flammable liquid (alcohol, isopropanol). Do not puncture or incinerate container. Exposure to fire may cause explosion.
STORAGE AND DISPOSAL
Do not mix with other chemicals. Do not mix with other chemicals. Do not mix with other chemicals. Do not mix with other chemicals. Do not mix with other chemicals.

EPA EST. NO. 4170-OH-1
EPA REG. NO. 4170-41
Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

No. GC88


© 1995 Betco Corporation
Toledo, Ohio 43607-0127 U.S.A.
All Rights Reserved.



DISINFECTANT

GC88

CIDE-BET HOSPITAL DISINFECTANT FOAMING GERMICIDAL CLEANER



Desinfectante de hospital limpiador
germicida espumoso

Fresh and Clean

Kills HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids.

- *Effective against Herpes Simplex Type 1 and Type 2
- **Five day residual self-sanitizing activity

Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₂ , 60%, C ₁₄ , 30%, C ₁₆ , 5%, C ₁₈ , 5%)	
dimethyl benzyl ammonium chlorides	0.1%
n-Alkyl (C ₁₂ , 68%, C ₁₄ , 32%)	
dimethyl ethylbenzyl ammonium chlorides	0.1%
INERT INGREDIENTS:	99.8%
TOTAL	100.0%

Contains Sodium Nitrite

KEEP OUT OF REACH OF CHILDREN
WARNING:
See back panel for additional precautionary statements. For industrial and institutional use only.

Net Wt. 18 ounces