DIRECTIONS FOR USE

FOR CONTROL OF INSTITUTIONAL AND INCUSTRIAL INSECTS in institutions, food processing plants, restaurants, food handling establishments, industry, schools, motels and hotels.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SHAKE BEFORE USE. Point valve away from face and press button. Hold can at least 3 feet from surfaces

which may stain and 18 inches from plants.

Files, Mosquitoes, Gnats and Flying Moths: Direct spray at insects, using short bursts (1 to 2 seconds) or treat unoccupied areas as follows: Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (8 to 10 seconds per 1000 cubic feet). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed. Wasps and Hornete: Direct spray at these insects using short bursts. Spray thoroughly into nests, hiding and breeding places when insects have settled at night. Ante: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. Roaches, Sowbugs, Boxelder Bugs, Centipedes, Earwigs, Crickets, Grain Mites and Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under religerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary,

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin, Avoid breathing vapors or spray mist, Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if imitation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wa. In with an acceptable detergent solution and then rinse with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pell and birds, and cover fish aquaniums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Do not induce vomiting. Contains petroleum distillate. Call a physician immediately. IF INHALED—Remove victim to fresh air. Apply areficial respiration if indicated. IF ON SKIN--Remove contaminated clothing and wash affected area with soap and water. IF IN EYES-Flush eyes for at least 15 minutes with plenty of water. Call a physician immediately.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate | container, Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Drift and runoff from treated siles may be hazardous to fish in adjacent sites.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Replace cap and discard container in Yash.

2201

Manufactured By: Betco Corp, Toledo, Ohio 45607

EPA REG. NO. 4170-43 EPA EST. NO. 4170-OH-1



ndoor/

Contains a combination of two highly active synthetic pyrethroid compounds

Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

*Tetramethrin	0.250%
Related Compounds	0.034%
**Resmethrin	
Related Compound	0.034%
INERT INGREDIENTS	99.432%
Tota}	
Contains petroleum distillate	

* 1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclo-propanecarboxylate **(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2

methylpropertyl) cyclopropanecarboxylate

KEEP OUT OF REACH OF CHILDREN **CAUTION:**

See side panel for additional precautionary statements. For industrial and institutional use only.

Net Wt. 16 ounces

Accepted 93 FEB 1993 4170-43