

This disinfectant toilet bowl & urinal cleaner is designed for Hospital, General Industrial & Institutional use (schools, factories, nursing homes). Its broad spectrum activity cleans, descales, deodorizes & disinfects in one easy step.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS.**

DANGER

CORROSIVE: Keep out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. Use on acid resistant surfaces only.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER & DETERGENT & DISCARD IN REGULAR TRASH COLLECTION OR SANITARY LANDFILL.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk or magnesium or cup of soapy water, followed with milk or raw egg whites. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off solid gently, flood surface with water using soap freely, then cover with moist magnesium or baking soda.

HOSPITAL TYPE
NEW PULL®
**DISINFECTANT TOILET BOWL
& URINAL CLEANER**
cleans, disinfects, deodorizes, descales
—with organic soil tolerance

ACTIVE INGREDIENTS:	
Octyl decyl dimethyl ammonium chloride	0.0150%
Dioctyl dimethyl ammonium chloride	0.0075%
Didecyl dimethyl ammonium chloride	0.0075%
Alkyl (C ₁₁ 50%; C ₁₂ 40%; C ₁₃ 10%)	0.0200%
dimethyl benzyl ammonium chloride	
Hydrogen chloride	23.0000%
INERT INGREDIENTS	78.9600%
TOTAL	100.0000%

KEEP OUT OF REACH OF CHILDREN
DANGER & POISON
For industrial and institutional use only. Only for sale to, use and storage by service persons. (See left panel for additional precautionary and practical treatment statements)



TOLEDO OHIO

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN & DISINFECT TOILET BOWLS & URINALS: Remove water from bowl by forcing it over the trap with a swab mop. Saturate swab mop with cleaner, disinfectant and wet all surfaces thoroughly. It is most important to swab under rim of bowl or urinal to clean and disinfect water outlets. Allow cleaner, disinfectant to remain for at least 10 minutes until all rust, scale and stains are loosened. Rinse by flushing.

For heavily soiled areas, a preliminary cleaning is required.

At a dilution of one part cleaner, disinfectant to 3 parts water, this product has shown broad spectrum activity against micro-organisms commonly found in toilet bowls & urinals & has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

PSEUDOMONAS AERUGINOSA
STAPHYLOCOCCUS AUREUS
SALMONELLA CHOLERAESUIS

ONE QUART

E.P.A. EST. NO. 4170-OH-1
E.P.A. REG. NO. 4170-52

ACCEPTED

AUG 13 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4170-52