This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals DANGER X POISON

CORROSIVE: Keep out of reach of children. May be fatal or harmful it swallowed. Do not breathe vapors or furnes. Produces chemical burns. Do not get in eyes, on skin, or on clothing. Do not use on sinks, bathtubs, porcelain or any surface other than total bowls & unnals.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk of magnesia or a cup of soapy water followed with mas or raw egg whites. EYE CONTACT: Wash with water for 15 moutes Get prompt medical attention. SKIN CONTACT: Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

DISPOSAL

Do not reuse empty container, Rinse container thoroughly and dissard in trash

EPA EST. NO. 4170-0H-1 EPA REG. NO. 4170-52









Pull'

Disinfectant Toilet Bowl & Urinal Cleaner Limpiador desinfectante para el cuarto de beno

Cleans, Disinfects, Deodorizes, Descales - with Organic Soil Tolerance

Kills HIV on precleaned environmental surfaces objects previously soiled with blood/body fluids*
Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGRED ENTS Octyl decyl directly l

ammonium chlor de 0 0150 ; Dioctyl dimethyli ammonium chloride : 0 00601; Didecyl dimethyli

ammonium chloride 0 0090°5
Alkyl (C , 50°5, C , 40°5, C , 10°5) dimethyl benzyl ammonium chloride 0 00200°5
Hydrogen Chloride 23 0000°5
INERT INGREDIENTS. 76 9500°3
TOTAL 100 0000°6

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

See side panel for additional precautionary and practical treatment statements. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DESCRIPTION

This disinfectant titlet bottl and uring cleaner in designed for Fröspital, General Industrial, and institutional-use (schools, factories, nursing homes). Its broad spectrum activity cleans, descales, deodorizes, and disinfects in one leasy step.

DIRECTIONS FOR USE.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT TOTLET POWLS "INC URINALS: Remove water from bowt by forcing it over the trap with a swab mop. Saturate swab mop with cleaner/disinfectant and wet all surfaces thoroughly. It is most important to swab under rim of bowl or urinal to clean and disinfect water cutlets. Allow cleaner/disinfectant to remain for at least 10 minutes until all rust, scale, and status are loosened. Rinse by flushing. For heavily solled areas a praiminery cleaning is required.

At a dilution of one part cleaner/disinfectant to 3 parts water, this product has shown broad spectrum activity against microorganisms commonly found in toilet bowls and urinals, and has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

PSEUDOMONAS AERUGINOSA STAPHYLOCOCCUS AUREUS SALMONELLA CHOLERAESUIS

"In health care settings (Hospitale, Nursing Homes) or other settings in which there is an expected likelihood of solling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be solled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOC/BOOY FLUIDS. PERSONAL PROTECTION: When handling ltems solled with blood or body fluids use disposable lasts; gloves, gowns, meets, or eye coverings. CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. CONTACT TIME: Allow surface to remain wet for 10 minutes. DISPOSAL OF IN-FECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

11714

ONE QUART

ACCEPTED

APR | 8 | 1995

Under u.e. de, and Rodentierde Act, es amerded, for the pesticide registered under EPA Reg. No. 44 70 52

BEST COPY AVAILABLE