## PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals DANGER \*\*X\*\*POISON

CORROSIVE: Keep out of reach of children. Do not breathe vapors or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. May be harmful or fatal if swallowed. Use on acid resistant surfaces only.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk of magnesia or a cup of soapy water followed with milk or raw egy whites. EYE CONTACT: Wash with water for 15 minutes. Get prompt medical attention. SKIN CONTACT: Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## STORAGE AND DISPOSAL

Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash.

EPA EST. NO. 4170-OH-1 EPA REQ. NO. 4170-52

## **PRECAUCION**

AL USARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)



This container is coded for recycling.

Manufactured By:







## Pull®

Disinfectant Toilet Bowl and Urinal Cleaner Limpiador desinfectante para el cuarto de baño

Cleans, Disinfects, Deodorizes, Descales - with Organic Soil Tolerance

**Hospital Disinfectant** 

Kills HIV-1 on precleaned environmental surfaces/objects previously soiled with blood/body fluids.

Authorized by the USDA for use in federally inspected meat and poultry plants.

OF CHILDREN

DANGER

POISON

See side panel for additional precautionary statements.
FOR INSTITUTIONAL AND COMMERCIAL USE.

DESCRIPTION

This disinfectant tillet bowl and united seamer is designed for Hospital, General Industrial and Institutional use ischools, lactories, nursing homes). Its broad spectrum activity cleans, descales, deodorizes, and disinfects in one leasy step.

DIRECTIONS FOR USE

It is a violation of Federal Law is use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT TOILET POWLS AND URINALS: Remove water from bowl by forcing it o.e. the trap with a twab mop. Saturate swab mop with cleaner/disinfectant and wet all surfaces thoroughly. It is most important to swab under rim of bowl or unnal to clean and disinfect water outlets. Allow cleaner/disinfectant to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing. For heavily soiled areas a preliminary cleaning is required.

At a dilution of one part cleaner/disintectant to 3 parts water, this product has shown broad spectrum activity against microorganisms commonly found in toilet bowls and urinals, and has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

PSEUDOMONAS AERUGINOSA SALMONELLA CHOLERAESUIS STAPHYLOCOCCUS AUREUS

Kills HIV-1 on precleaned environmental surfaces/objects previously soiled with blood/bcdy iluids in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings. CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. CONTACT TIME: Allow surface to remain well for 10 minutes. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

10715

**NET CONTENTS:** 

