


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 4170-54	DATE OF ISSUANCE NOV 13 1985
	TERM OF ISSUANCE Registration	
	NAME OF PESTICIDE PRODUCT New Kling	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<div style="border: 1px solid black; padding: 10px; width: fit-content; margin: auto;"> <p>Betco Corporation 1001 Brown Avenue Box 3127 Toledo, Oh 43607</p> </div>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This registration notice is being issued in accordance with section 3(c)(7)(A) of the FIFRA subject to the following conditions.</p> <p>(1) It is understood that you will submit and/or cite all data required for registration or reregistration of your product under section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</p> <p>(2) You will submit five copies of your finished printed labels complying with the requirements or revisions specified in the attachment to this registration notice. These labels must be submitted to the Agency before the product is released for shipment as required by PR Notice 82-2, of June 18, 1982.</p> <p>A stamped copy of the draft label is enclosed for your records. Your release of the product for shipment constitutes acceptance of these conditions. If the conditions are not complied with, the registration will be subject to cancellation in accordance with Section 6(e) of the FIFRA.</p> <div style="text-align: right; margin-top: 20px;">  A. E. Castillo Product Manager (32) Disinfectants Branch Registration Division (TS-767C) </div> <p><input checked="" type="checkbox"/> Enclosure ATTACHMENT IS APPLICABLE</p>		
SIGNATURE OF APPROVING OFFICIAL		DATE NOV 13 1985

ATTACHMENT TO EPA REGISTRATION NOTICE

EPA Registration No. 4170-54 Date Issued NOV 13 1985

Company Name Betco Corporation

Product Name New Kling

The following requirements or revisions apply to the label which was accepted with this registration notice:

1. An edited copy of the proposed label is enclosed indicating the revisions which must be made to your label to satisfy our requirements.
2. The registration number which has been assigned to this product must appear on the label as EPA Registration No. 4170-54.
3. The labels which will be used for this product in channels of trade must reflect these revisions.
4. Five copies of the finished printed labels, as defined in the A-79 enclosure, must be submitted to the Agency before the product is released for shipment to comply with PR Notice 82-2 of June 18, 1982.
5. The finished printed labels must comply with the general labeling requirements of section 162.10 of Title 40 of the Code of Federal Regulations. If the label does not satisfy these requirements it will be rejected.

This disinfectant cleaner is designed for Hospital, General Industrial & Institutional use. It may be used to clean & disinfect toilet bowls, urinals, porcelain, sinks, bathtubs, shower tile, & ceramic tile floors. Its broad spectrum activity cleans, descales, deodorizes & disinfects in one easy step.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS.**

DANGER

CORROSIVE: Keep out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. Use on acid resistant surfaces only.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER & DETERGENT & DISCARD IN REGULAR TRASH COLLECTION OR SANITARY LANDFILL.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk of magnesia or cup of soapy water followed with milk or raw egg white. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

NEW HOSPITAL TYPE

Kling


**DISINFECTANT CLEANER for PORCELAIN,
TOILET BOWLS & URINALS**
— with organic soil tolerance

ACTIVE INGREDIENTS:
 Octyl decyl dimethyl ammonium chloride 0.150%
 Dioctyl dimethyl ammonium chloride 0.075%
 Didecyl dimethyl ammonium chloride 0.075%
 Alkyl (C₁₁ 50%, C₁₂ 40%, C₁₃ 10%) 0.200%
 Dimethyl benzyl ammonium chloride 9.0000%
 Hydrogen Chloride 90.9500%

INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN
DANGER
 FOR INDUSTRIAL AND INSTITUTIONAL
 USE ONLY. ONLY FOR SALE TO USE AND
 STORAGE BY SERVICE PERSONS.
 (See left panel for additional precautionary
 and practical treatment statements.)

Betco
CORPORATION TOLEDO, OHIO 43607



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

TO CLEAN & DISINFECT TOILET BOWLS & URINALS:
Remove water by forcing it over the rim of bowl or urinal to clean surfaces thoroughly. It is most important to clean the rim of bowl or urinal to clean the toilet. Allow this disinfectant cleaner to remain for at least 10 minutes until all rust is loosened. Rinse by flushing.

TO CLEAN & DISINFECT SHOWER STALLS, DRINKING FOUNTAINS, CERAMIC TILE FLOORS:
Dilute one part of this disinfectant cleaner with water and apply to wet surfaces with swab mop, sponge, brush or cloth. Allow disinfectant cleaner to remain for at least 10 minutes with water after cleaning.

FOR HEAVILY SOILED AREAS:
A preliminary cleaning is required before this disinfectant cleaner can occur.

At a dilution of one part of disinfectant cleaner to ten parts water, this product has been shown to be active against micro-organisms on toilet bowls & urinals and has been shown to be active in the presence of 5% serum and against the following organisms:
Dilution Test:

- PSEUDOMONAS AERUGINOSA
- STAPHYLOCOCCUS AUREUS
- SALMONELLA CHOLERAESUIS

E.P.A. EST. NO. 4170-OH-1
E.P.A. REG. NO. 4170- Na

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV 18 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the product registered under EPA Reg. No.

4170-54

This disinfectant cleaner is designed for Hospital, General Industrial & Institutional use. It may be used to clean & disinfect toilet bowls, urinals, porcelain, sinks, bathtubs, shower tile, & ceramic tile floors. Its broad spectrum activity cleans, descales, deodorizes & disinfects in one easy step.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS.**

DANGER

CORROSIVE: Keep out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. Use on acid resistant surfaces only.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER & DETERGENT & DISCARD IN REGULAR TRASH COLLECTION OR SANITARY LANDFILL.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk or magnesia or cup of soapy water followed with milk or raw egg whites. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

NEW HOSPITAL TYPE

Kling

**DISINFECTANT CLEANER for PORCELAIN,
TOILET BOWLS & URINALS**
— with organic soil tolerance

ACTIVE INGREDIENTS

Oxyl diglycyl dimethyl ammonium chloride	0.15%
Sodium hypochlorite	1.00%
Alkyl dimethyl benzyl ammonium chloride	0.10%
Alkyl dimethyl benzyl ammonium chloride	0.10%
Hydrogen chloride	0.10%


INERT INGREDIENTS 99.55%

KEEP OUT OF REACH OF CHILDREN

DANGER

**FOR INDUSTRIAL AND INSTITUTIONAL
USE ONLY. ONLY FOR SALE TO USE AND
STORAGE BY SERVICE PERSONS.**

*(See full package for additional precautionary
and practical treatment statements.)*

 **Betco**
CORPORATION TOLEDO, OHIO 43607

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN & DISINFECT TOILETS & URINALS:

Remove water by forcing it over the trap with swab mop. Saturate swab with disinfectant cleaner and wet all surfaces thoroughly. It is most important to swab under the rim of bowl or urinal to clean and disinfect water outlets. Allow this disinfectant cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing.

TO CLEAN & DISINFECT SINKS, BATH TUBS, & SHOWER STALLS, DRINKING FOUNTAINS, & CERAMIC TILE FLOORS:

Dilute one part of this disinfectant cleaner with two parts water and apply to wet all surfaces thoroughly with swab mop, sponge, brush or cloth. Allow disinfectant cleaner to remain for at least 10 minutes. Rinse with water after cleaning.

FOR HEAVILY SOILED AREAS:

A preliminary cleaning is required before disinfection can occur.

At a dilution of one part of disinfectant cleaner to 2 parts water, this product has shown broad spectrum activity against micro-organisms commonly found in toilet bowls & urinals and has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use Dilution Test:

PSEUDOMONAS AERUGINOSA
STAPHYLOCOCCUS AUREUS
SALMONELLA CHOLERAESUIS

E.P.A. EST. NO. 4170-OH-1

E.P.A. REG. NO. 4170-56 Net Contents ONE QUART

*Edited copy
for EPA
NEJ 10-1-85*

Betco Corporation
1001 Brown Avenue
Box 3127
Toledo, OH 43607

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration notice is being issued in accordance with section 3(c)(7)(A) of the FIFRA subject to the following conditions.

(1) It is understood that you will submit and/or cite all data required for registration or reregistration of your product under section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

(2) You will submit five copies of your finished printed labels complying with the requirements or revisions specified in the attachment to this registration notice. These labels must be submitted to the Agency before the product is released for shipment as required by PR Notice 82-2, of June 18, 1982.

A stamped copy of the draft label is enclosed for your records. Your release of the product for shipment constitutes acceptance of these conditions. If the conditions are not complied with, the registration will be subject to cancellation in accordance with Section 6(e) of the FIFRA.


A. E. Castillo

Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure
ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE NOV 13 1985

ATTACHMENT TO EPA REGISTRATION NOTICE

EPA Registration No. 4170-54 Date Issued NOV 13 1985

Company Name Betco Corporation

Product Name New Kling

The following requirements or revisions apply to the label which was accepted with this registration notice:

1. An edited copy of the proposed label is enclosed indicating the revisions which must be made to your label to satisfy our requirements.
2. The registration number which has been assigned to this product must appear on the label as EPA Registration No. 4170-54.
3. The labels which will be used for this product in channels of trade must reflect these revisions.
4. Five copies of the finished printed labels, as defined in the A-79 enclosure, must be submitted to the Agency before the product is released for shipment to comply with PR Notice 82-2 of June 18, 1982.
5. The finished printed labels must comply with the general labeling requirements of section 162.10 of Title 40 of the Code of Federal Regulations. If the label does not satisfy these requirements it will be rejected.

This disinfectant cleaner is designed for Hospital, General Industrial & Institutional use. It may be used to clean & disinfect toilet bowls, urinals, porcelain, sinks, bathtubs, shower tiles, & ceramic tile floors. Its broad spectrum activity cleans, descales, deodorizes & disinfects in one easy step.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

DANGER

CORROSIVE: Keep out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. Use on acid resistant surfaces only.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER & DETERGENT & DISCARD IN REGULAR TRASH COLLECTION OR SANITARY LANDFILL.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk of magnesia or cup of soapy water followed with milk or raw egg whites. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

NEW HOSPITAL TYPE
Kling
DISINFECTANT CLEANER for PORCELAIN TOILET BOWLS & URINALS
 with organic soil tolerance

ACTIVE INGREDIENTS
 Acyl decyl dimethyl ammonium chloride 0.15
 Dodecyl dimethyl ammonium chloride 0.04
 Benzyl dimethyl ammonium chloride 0.02
 Ammonium chloride 0.02
 Sodium benzoate 0.01
 Hydroxychloride 0.01
OTHER INGREDIENTS 99.98

KEEP OUT OF REACH OF CHILDREN
DANGER
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. ONLY FOR SALE TO USE AND STORAGE BY SERVICE PERSONS.
 (See left panel for additional precautionary and practical treatment statements.)

Betco
 CORPORATION

DIRECTIONS
 It is a violation of Federal Law to use in a manner inconsistent with these directions.

TO CLEAN & DISINFECT TOILET BOWLS & URINALS:
 Remove water by forcing it over the rim of bowl or urinal to clean the rim of bowl or urinal to clean the faces thoroughly. It is most effective when used on wet surfaces. Saturate swab with disinfectant. Apply to wet surfaces. Allow this disinfectant to remain for at least 10 minutes until all residue is loosened. Rinse by flushing.

TO CLEAN & DISINFECT SHOWERS, SHOWER STALLS, DRINKING FOUNTAINS, CERAMIC TILE FLOORS:
 Dilute one part of this disinfectant cleaner with nine parts water and apply to wet surfaces with swab mop, sponge, brush or other cleaning tool. Allow disinfectant cleaner to remain for 10 minutes with water after cleaning.

FOR HEAVILY SOILED AREAS:
 A preliminary cleaning is recommended.

At a dilution of one part of disinfectant cleaner to nine parts water, this product has been shown to have activity against micro-organisms. It is effective against the presence of 5% serum agar and is active against the following organisms:
Dilution Test:

- PSEUDOMONAS AERUGINOSA
 - STAPHYLOCOCCUS AUREUS
 - SALMONELLA CHOLERAESUIS
- E.P.A. EST. NO. 4170-OH-1
 E.P.A. REG. NO. 4170-56

Edited copy for EPHS - 11-1-85

This disinfectant cleaner is designed for Hospital, General Industrial & Institutional use. It may be used to clean & disinfect toilet bowls, urinals, porcelain, sinks, bathtubs, shower tile, & ceramic tile floors. Its broad spectrum actively cleans, descales, deodorizes & disinfects in one easy step.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS.**

DANGER

CORROSIVE: Keep out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing. Use on acid resistant surfaces only.

STORAGE AND DISPOSAL

DO NOT REUSE EMPTY CONTAINER. RINSE CONTAINER THOROUGHLY WITH WATER & DETERGENT & DISCARD IN REGULAR TRASH COLLECTION OR SANITARY LANDFILL.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink a teaspoonful or more of milk of magnesia or cup of soapy water followed with milk or raw egg whites. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda.

NEW HOSPITAL TYPE

Kling

**DISINFECTANT CLEANER for PORCELAIN,
TOILET BOWLS & URINALS**
— with organic soil tolerance

ACTIVE INGREDIENTS:
 Octyl (decyl dimethyl) ammonium chloride 0150%
 Didecyl dimethyl ammonium chloride 0075%
 Didecyl dimethyl ammonium chloride 0075%
 Alkyl (C: 50% C: 40% C: 10%) 0200%
 Dimethyl benzyl ammonium chloride
 Hydrogen chloride 0000%
INERT INGREDIENTS 90.9500%

**KEEP OUT OF REACH OF CHILDREN
DANGER**
**FOR INDUSTRIAL AND INSTITUTIONAL
USE ONLY FOR SALE TO, USE AND
STORAGE BY SERVICE PERSONS.**
 (See left panel for additional precautionary
and practical treatment statements.)

Betco
CORPORATION TOLEDO, OHIO 43607

EPA

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN & DISINFECT TOILETS & URINALS:
Remove water by forcing it over the trap with swab mop. Saturate swab with disinfectant cleaner and wet all surfaces thoroughly. It is most important to swab under the rim of bowl or urinal to clean and disinfect water outlets. Allow this disinfectant cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing.

**TO CLEAN & DISINFECT SINKS, BATH TUBS,
SHOWER STALLS, DRINKING FOUNTAINS, &
CERAMIC TILE FLOORS:**
Dilute one part of this disinfectant cleaner with two parts water and apply to wet all surfaces thoroughly with swab mop, sponge, brush or cloth. Allow disinfectant cleaner to remain for at least 10 minutes. Rinse with water after cleaning.

FOR HEAVILY SOILED AREAS:
A preliminary cleaning is required before disinfection can occur.

At a dilution of one part of disinfectant cleaner to 2 parts water, this product has shown broad spectrum activity against micro-organisms commonly found in toilet bowls & urinals and has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use Dilution Test:

**PSEUDOMONAS AERUGINOSA
STAPHYLOCOCCUS AUREUS
SALMONELLA CHOLERAESUIS**

E.P.A. EST. NO. 4170-OH-1
E.P.A. REG. NO. 4170- Net Contents ONE QUART

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

NOV 18 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4170-54