

7m 34

4170-54

8/10/98

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Candice Rushton
Betco Corporation
1001 Brown Avenue
Toledo, OH 43607

AUG 10 1998

Dear Rushton:

Subject: Revised labeling
Kling™
EPA Registration No. 4170-54
Amendment application of June 24, 1998

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510W)

Enclosure

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER

CORROSIVE: Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available. Drink large quantities of water. Avoid alcohol. If person is unconscious, do not give anything by mouth. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention. **IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. **IF IN EYES:** Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

STORAGE AND DISPOSAL

Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash.


MSDS No. 075



Manufactured By:
 ©1998 Betco Corporation
 1001 Brown Avenue
 Toledo, Ohio 43607-0127
 U.S.A. All Rights Reserved.



TOILET CLEANER
 07512



KLING™

Hospital Disinfectant

**Disinfectant Cleaner for Porcelain
 Toilet Bowls • Urinals • with Organic Soil Tolerance**

Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:
 Octyl decyl dimethyl ammonium chloride.....0.015%
 Dioctyl dimethyl ammonium chloride.....0.006%
 Didecyl dimethyl ammonium chloride.....0.009%
 Alkyl (50% C₁₂, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chloride0.020%
 Hydrogen Chloride.....9.000%
INERT INGREDIENTS:90.950%
TOTAL100.000%

**KEEP OUT OF REACH
 OF CHILDREN
 DANGER**

See side panel for additional precautionary statements. **FOR INSTITUTIONAL AND COMMERCIAL USE.**

EPA EST. NO. 4170-OH-1
 EPA REG. NO. 4170-54

NET CONTENTS: 1 quart

USE:



DESCRIPTION:

This disinfectant cleaner is designed for Hospital, General Industrial, and Institutional use. It may be used to clean and disinfect toilet bowls, urinals, porcelain, sinks, bathtubs, shower tile, and ceramic tile floors. Its broad spectrum activity cleans, deodorizes, and disinfects in one easy step.


DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT TOILETS AND URINALS: Remove water from bowl by forcing it over the trap with a swab mop. Saturate swab with disinfectant cleaner and wet all surfaces thoroughly. It is most important to swab under rim of bowl or urinal to clean and disinfect water outlets. Allow this disinfectant cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing.

TO CLEAN AND DISINFECT SINKS, BATHTUBS, SHOWER STALLS, DRINKING FOUNTAINS, AND CERAMIC TILE FLOORS: Dilute one part of this disinfectant cleaner with two parts water and apply to wet all surfaces thoroughly with swab mop, sponge, brush, or cloth. Allow disinfectant cleaner to remain for at least 10 minutes. Rinse after cleaning.

FOR HEAVILY SOILED AREAS: A preliminary cleaning is required before disinfection can occur. At a dilution of one part disinfectant cleaner to two parts water, this product has shown broad spectrum activity against microorganisms commonly found in toilet bowls and urinals and has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution Test: PSEUDOMONAS AERUGINOSA, SALMONELLA CHOLERAESUIS, STAPHYLOCOCCUS AUREUS.



6758

2/2