# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP - 5 2007

Candice Rushton Betco Corp. 1001 Brown Ave. Toledo, OH 43607-012731

Dear Ms. Rushton:

Subject: La

**Labeling Amendment** 

Scorch Plus 1021 EPA Reg. No. 4170-58

Submission dated August 6, 2007

The labeling, referred to above, submitted in connection with the application under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes:

Your product is formulated in the liquid form.

1. Heading"

Add a statement on weight of prometon per gallon.

- 2. Add a section on 'Personal Protective Equipment," and add the following requirements:
  - Applicators and other handlers must wear chemical resistant gloves made of waterproof materials, long sleeved shirt and pants, protective eyewear, shoes and socks.
  - Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
- 3. Under "Environmental Hazards";

Use the following statements:

"This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate."

# Page 2 EPA Reg. No. 4170-54

4. Under "Directions for Use";

Add the following statements:

- Do not enter or allow others to enter the treated area until sprays have dried.
- Do not allow people or pets to touch treated plants until the sprays have dried.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Your proposed application rates for hard to kill weeds and grasses are 3.5 to 4.75 gallons product per 1,000 sq. ft.. A gallons product weights 6.9 lbs.. An application rate of 3.5 gallons per 1,000 sq. ft. corresponds to the rates of 39.2 lbs of prometon per acre ( $3.5 \times 43.5 \times 6.9 \times 0.0373$ ). Since the maximum allowable application rate is 20.04 lbs per acre, you need to reduce the applications rates within the acceptable limit.

The amended label supersedes all previously accepted labels. A stamped copy of the revised label is enclosed for your records. Please submit one copy of your final printed labeling before you release the product for shipment.

Sincerely yours,

Jim Tompkins

Product manager (25)

Herbicide Branch


Registration Division (7505P)

**Enclosure** 

CONCURRENCES								
SYMBOL ➤	7505P	7505P						
SURNAME	Bien	Tompkins						
DATE >	8-27-07							

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY



# SCORCH PLUS 1021

# Vegetation Kille

For Bare Ground Weed Control Around: Guard Rail: Airports, Military Installations, Highway Median: Pipelines, Railroads, Lumberyards, Rights-of-Wa Buildings, Storage Areas, Fences, Pumps, Machiner Feel Tanks, Drainage Ditch Banks, Roadways, or Simils

ACTIVE INGREDIENTS:

NET CONTENTS: 5 gallons

35205-00

KEEP OUT OF REACH OF CHILDREN IN A RINING AVISO

ee back panel for addition

IMPORTANT: Read the entire directions for use and the conditions of sale and warranty before using this product. Since weather and other conditions under which this product may be used will vary, the seller makes no warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with dispositors or empeding not in

EPA EST. NO 4170-0H-1

**EPA REG. NO. 4170-58** 

### USE:



It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This VEGETATION KILLER can be applied prior to or up to 3 months after weed emergence.

For best results, apply this VEGETATION KILLER at rates recommended below prior to weed emergence or when weeds are young and actively growing. This application is to be applied ONCE per year.

For control of annual and susceptible perennial weeds (such as downy brome, oatgrass, goose grass, puncturevine, goldenrod, and IF SWALLOWED: plantain): Apply 1 - 1 1/4 gallons of the VEGETATION KILLER mixed in a minimum of 10 gallons of water or oil per 1,000 square feet to give thorough and uniform coverage This application is to be applied ONCE per year.

For control of hard-to-kill perennial weeds and grasses (such as Johnson grass, bindweed, and wild carrot): Use 3 1/2 - 4 3/4 gallons of this VEGETATION KILLER mixed in a minimum of 20 gallons of water or oil per 1,000 square feet to give thorough and uniform coverage. This application is to be applied ONCE per year.

Although this VEGETATION KILLER has considerable activity through foliar contact, much of its activity is through the roots, and therefore, adequate rainfall to move the chemical into the root zone is necessary.

For faster top-kill of existing vegetation, apply this VEGETATION KILLER using diesel oil, fuel oil, or weed oil instead of water. Use oils at rates of 1/4 - 1/2 gallon per 1,000 square feet (100 - 200 gallons per acre). Tall dense vegetation, such as Johnson grass, will generally, require 3/8 gallon per 1,000 square feet (150 gallons per acre) or more of oil for thorough coverage. This 3-pipilication is '50 be applied

CARE MUST BE TAKEN TO KEEP THIS HERBICIDE AWAY FROM DESIRABLE FLOWER BEDS, LAWNS AND SHRUBS. DO NOT APPLY OVER ROOTS OF VALUABLE TREES OR WOODY ORNAMENTAL PLANTS. ONLY APPLY THIS HERBICIDE OUTSIDE THE DRIPLINE OF THE TREES. AVOID SPRAY DRIFT TO DESIRABLE PLANTS.

103523

## MSDS No. 352



Manufactured By: ©2003 Betco Corporation 1001 Brown Avenue • Toledo, Ohio 43607-0127 U.S.A. All Rights Reserved. www.betco.com



### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING

Causes substantial but temporary eye injury or skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, skin, or on clothing. Prolonged or frequent repeated skin contact may cause altergic reaction in some individuals. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing

### FIRST AID

- · Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes,
- then continue rinsing.

  Call a poison control center or doctor for treatment advice.

### IF ON SKIN OR CLOTHING:

- Take off contaminated Clothing
- Rinse skin immediately with water for 15–20 minutes.
   Call a poison control center or doctor for treatment advice.

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow:

  Do not induce vomiting unless told to do so by a poison control center or doctor.

### IF INHALED:

- Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote; if ingested do not induce emisis and take care to avoid aspiration of stomach contents during gastric lavage. Give a saline laxative and supportive therapy.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the Ints product is toxic to fish. Do not apply affectly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water used for irrigation of domestic purposes. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge, Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

# STORAGE AND DISPOSAL

Pesticide Storage: Do not use or store near heat or open flame. Store in original container only. Do not contaminate water, food, or feed by storage or disposal.

### PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or by other procedures approved by state and local authorities.

ACCEPTED with COMMENTS in EPA Letter Dated

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.