

Sure Bet™

Kills Herpes Simplex Type 2 on
Inanimate Environmental Surfaces*



**One Step Foaming
Disinfectant, Cleaner,
Deodorizer**
Mildewstat, Fungistat, Virucide*
With Organic Soil Plus Hard Water
Tolerance**

Authorized by the USDA for use in federally
inspected meat and poultry plants.



Betco Corp., Toledo, Ohio 43607

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride	0.750%
Dioctyl dimethyl ammonium chloride	0.375%
Didecyl dimethyl ammonium chloride	0.375%
n-Alkyl (C14 50%, C12 40%, C18 10%) dimethyl benzyl ammonium chloride	1.000%
INERT INGREDIENTS	97.500%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN
DANGER
See direction panel for
additional precautionary and practical
treatment statements.
**FOR INDUSTRIAL AND
INSTITUTIONAL USE ONLY.**

EPA EST. NO. 4170-DH-1
EPA REG. NO. 4170-68

314

3/11/68

4170-68

292

DESCRIPTION

This formulation is a "one step" disinfectant-cleaner-mildewstat-deodorant which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination at 4 oz./gallon. This formulation will remove hard water deposits and lime soap buildups when used as directed. For hospital, institutional and industrial use.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE: KEEP OUT OF REACH OF CHILDREN. May be fatal or harmful if swallowed. Produces chemical burns. Do not get in eyes, on skin, or on clothing. Causes irreversible eye and skin damage. Wear goggles or safety glasses and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid breathing fumes and vapors.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention.

SKIN CONTACT: Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda. Get medical attention if irritation persists.

STORAGE AND DISPOSAL

Store in original container only.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove gross filth or heavy soil. Apply use-dilution to glazed porcelain and glazed ceramic tiles, bathtubs, shower stalls, sinks, urinals, toilet bowl surfaces, related fixtures and other hard (inanimate), non-porous environmental surfaces with a cloth, mop, or mechanical spray device so as to thoroughly wet all surfaces. Allow to remain wet for at least ten minutes. Prepare fresh solution daily or more often when the solution becomes diluted or soiled.

Heavy Duty Cleaning-For heavily soiled areas, a preliminary cleaning is required. Use product undiluted, and apply to soiled surfaces. Surfaces must remain wet for ten minutes.

****Hard Water Disinfection**-At 4 oz. per gallon use level when evaluated by the AOAC Use-Dilution Test, this formulation is effective in the presence of 5% blood serum and 400 ppm hard water against:

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis

****Disinfection**-At 3 oz. per gallon use level, this formulation was evaluated by the AOAC Use-Dilution test in the presence of 5% blood serum and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

- | | |
|--------------------------|------------------------------|
| •Pseudomonas aeruginosa | •Enterobacter aerogenes |
| •Staphylococcus aureus | •Proteus mirabilis |
| •Salmonella choleraesuis | •Shigella dysenteriae |
| •Escherichia coli | •Brevibacterium ammoniagenes |
| •Streptococcus pyogenes | •Salmonella typhi |
| •Klebsiella pneumoniae | •Serratia marcescens |

Fungistatic Activity (Mold and Mildew Control)-At 3.0 oz per gallon use level, this formula will effectively control the growth of mold and mildew and odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Fungistatic activity was confirmed by the method for evaluation of mildewstats on hard surfaces against: *Aspergillus niger* ATCC 6275 and *Trichophyton mentagrophytes* ATCC 9533. Allow to dry on surface and repeat when mildew growth returns.

Sanitizing Non-Food Contact Surfaces (such as floors, walls, tables, etc.)-At 0.75 oz. per gallon use level, this formulation is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard, porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

***Virucidal Performance**-At 4 oz. per gallon use level, this formulation was evaluated in the presence of 5% blood serum and 400 ppm hard water and found to be effective against Herpes Simplex Type 2 on hard, non-porous inanimate environmental surfaces.

5 GALLONS

Manufactured By: Betco Corp., Toledo, Ohio 43607

33142

ONE GALLON

JUN 6 1968

4170-68