

**DESCRIPTION**

This formulation is a "one step" disinfectant-cleaner-mildewstat-deodorant which is effective in water up to 400 ppm hardness in the presence of 5% serum contamination at a 1:20 dilution (6.4 ounces/gallon). This formulation will remove hard water deposits and lime soap build-ups when used as directed. For hospital, institutional, and industrial use.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals  
DANGER**

**CORROSIVE: KEEP OUT OF REACH OF CHILDREN.** May be fatal or harmful if swallowed. Produces chemical burns. Do not get in eyes, on skin, or on clothing. Causes irreversible eye and skin damage. Wear goggles or safety glasses and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid breathing fumes and vapors.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician immediately. Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention. **EYE CONTACT:** Wash with water for 15 minutes. Get prompt medical attention. **SKIN CONTACT:** Wipe off acid gently, flood surface with water using soap freely, then cover with moist magnesia or baking soda. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Rinse container thoroughly and discard in trash.

EPA EST. NO. 4170-OH-1

EPA REG. NO. 4170-68




This container is coded for recycling.

Manufactured By:



314



**SURE BET™**

**Foaming Shower/Restroom  
Disinfectant/Cleaner**

Limpiador desinfectante espumoso para el cuarto de baño y la ducha

Mildewstat/Fungistat/Virucide\*  
With Organic Soil Plus Hard Water Tolerance\*\*

Kills Herpes Simplex Type 2 on inanimate environmental surfaces.  
Authorized by the USDA for use in federally inspected  
meat and poultry plants.

**ACTIVE INGREDIENTS:**

- Octyl decyl dimethyl ammonium chloride ..... 0.4680%
- Dioctyl dimethyl ammonium chloride ..... 0.1872%
- Didecyl dimethyl ammonium chloride ..... 0.2808%
- Alkyl (C<sub>13</sub> 50%, C<sub>12</sub> 40%, C<sub>15</sub> 10%) dimethyl benzyl ammonium chloride ..... 0.6240%
- INERT INGREDIENTS: ..... 98.4400%**
- TOTAL ..... 100.0000%**

**KEEP OUT OF REACH  
OF CHILDREN  
DANGER**  
See side panel for additional  
precautionary statements.  
**FOR INDUSTRIAL AND  
INSTITUTIONAL USE ONLY**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove gross filth or heavy soil. Apply solution to glazed porcelain and glazed ceramic tiles, bathtubs, shower stalls, sinks, urinals, toilet bowl surfaces, related fixtures, and other hard (inanimate), nonporous environmental surfaces with a cloth, mop, or mechanical spray device so as to thoroughly wet all surfaces. Allow to remain wet for at least ten minutes. Prepare fresh solution daily or more often when the solution becomes diluted or soiled.

**Heavy Duty Cleaning**-For heavily soiled areas, a preliminary cleaning is required. Use product undiluted, and apply to soiled surfaces. Surfaces must remain wet for ten minutes.

**\*Hard Water Disinfection**-At a 1:20 dilution (6.4 ounces/gallon) when evaluated by the AOAC Use-Dilution Test, this formulation is effective in the presence of 5% blood serum and 400 ppm hard water and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Streptococcus pyogenes*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Proteus mirabilis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*, *Serratia nellyi*, and *Serratia marcescens*.

**Fungistatic Activity (Mold and Mildew Control)**-At 4.8 ounces/gallon use level, this formula will effectively control the growth of mold and mildew and odors caused by them when applied to hard, nonporous surfaces (as indicated in general instructions above). Fungistatic activity was confirmed by the method for evaluation of mildewstat activity on surfaces against: *Aspergillus niger* ATCC 6275 and *Trichophyton mentagrophytes* ATCC 9533. Allow to dry on surface and repeat when mildew growth returns.

**Sanitizing Non-Food Contact Surfaces (such as floors, walls, tables, etc.)**-At 1.2 ounces per gallon use level, this formulation is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard, porous, and nonporous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

**\*Virucidal Performance**-At a 1:20 dilution (6.4 ounces/gallon) use level, this formulation was evaluated in the presence of 5% blood serum and 400 ppm hard water and found to be effective against Herpes Simplex Type 2 on hard, nonporous, inanimate environmental surfaces.

33144 NET CONTENTS: ONE QUART

ACCEPTED  
NOV 01 1994  
U.S. DEPARTMENT OF AGRICULTURE  
FOOD SAFETY AND INSPECTION SERVICE  
EPA Reg. No. 4170-68

**BEST AVAILABLE COPY**