

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

Avoid contamination of food, water, or animal feed. Wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT
EYE CONTACT: Flush with plenty of water for at least 15 minutes. Call a physician immediately. **SKIN CONTACT:** Rinse with plenty of water for at least 15 minutes.

STORAGE AND DISPOSAL
 Do not reuse empty container. Rinse container thoroughly and discard in trash.

EPA EST. NO. 4170-OH-1
 EPA REG. NO. 4170-75

PRECAUCION

AL USARIO: Si usted no lee Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.


(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)



This container is coded for recycling.

Manufactured By:
BETCO
 CORPORATION
 Toledo, Ohio 43607

317



Authorized by the USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:
 n-Alkyl (C₁₁ 60%, C₁₆ 30%, C₁₂ 5%, C₁₈ 5%) dimethyl benzyl ammonium chloride0.13%

n-Alkyl (C₁₂ 50%, C₁₃ 30%, C₁₆ 17%, C₁₈ 3%) dimethyl ethylbenzyl ammonium chloride0.13%

INERT INGREDIENTS:99.74%

TOTAL100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See side panel for additional precautionary statements.
FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DESCRIPTION

This product is a hard surface disinfectant and space deodorant. It is effective against *Pseudomonas aeruginosa*, *Salmonella choleraesuis*, *Staphylococcus aureus*, and other odor-causing bacteria on inanimate environmental surfaces such as toilet seats, telephones, wash basins, metal beds and springs, trash containers, carts, hampers, lockers, door knobs, and tile. As a space spray it is effective in deodorizing locker rooms, meeting rooms, bathrooms and shower rooms, classrooms, closets, laundry chutes, and sick rooms. For use in schools, office buildings, hospitals, nursing homes, hotels, motels, and colleges. It is an effective mildewstat on precleaned, hard, nonporous environmental surfaces.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR DISINFECTING: Remove gross filth and heavy soil deposits. Pre-clean all surfaces prior to disinfection. Hold sprayer about 6 to 8 inches from surface and spray until surface is thoroughly wet for a contact time of 10 minutes. No dilution necessary. Let air dry or wipe dry.

FOR AIR REFRESHING: As a ready-to-use spray. Spray upwards toward center of the room. The number of trigger strokes will depend on the size of the room and severity of the odor problem. No dilution necessary.

MILDEWSTATIC: This product will effectively inhibit the growth of mold and mildew plus the odors caused by them when applied to pre-cleaned hard, nonporous, inanimate environmental surfaces such as floors and walls. Apply by spraying until thoroughly wet. Let air dry. Repeat application weekly or when growth reappears.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

BEST AVAILABLE COPY

ACCEPTED

JAN 17 1995

Under U.S. Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4170-75

ONE QUART