

pH 7 Q

Kills HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids**
Authorized by the USDA for use in federally inspected meat and poultry plants.

Disinfectant Detergent/Deodorant

Pseudomonacidal, Staphylocidal, Salmonellacidal,
Fungicidal, Mildewstat/Virucidal*



ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride
n-Allyl (C14 90%, C12 60%, C16 10%)
Dimethyl lauryl ammonium chloride


INERT INGREDIENTS

TOTAL

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautionary statements.
FOR INDUSTRIAL AND INSTITUTIONAL USE

EPA EST. NO. 4176-DN-1
EPA REG. NO. 4176-70



NOT AVAILABLE COPY

DESCRIPTION

A multi-purpose germicidal detergent and deodorant effective in hard waters up to 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum. Disinfects, cleans, and deodorizes in one labor saving step. Recommended for hospitals, nursing homes, schools/colleges, veterinary clinics, general industrial and institutional use.

Bactericidal at 1:64 dilution (2 ounces per gallon of water) against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Saphylococcus aureus* (MRSA) (methicillin resistant), and *Salmonella choleraesuis* according to the AOAC Use Dilution Method (14th Edition, 1984), modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

Fungicidal against *Trichophyton mentogrophytes* and *Candida albicans* according to the AOAC fungicidal test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum at a 1:64 dilution.

Virucidal against HIV-1 (AIDS virus), Influenza virus type A Hong Kong 68-HCN2, Canine parvovirus, Herpes simplex type 1, Herpes simplex type 2, Vaccinia, Rubella (German Measles) virus Strain M-33, Adenovirus type 4, Feline leukemia and Infectious bronchitis (Avian IBV) according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum at a 1:64 dilution.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep out of reach of children. Causes eye irritation. Avoid contact with eyes. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.



13162

This container is coded for recycling.

ACCEPTED
MAR 24 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 4176-76
EPA Reg. No.

Manufactured By:
Betco Corp., Toledo, Ohio 43607

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use on hard non-porous surfaces such as floors, walls, metal surfaces, glazed porcelain, and other hard, non-porous surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces. Use 2 ounces or 1/4 cup per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as trigger spraying or soaking. The recommended use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

In health care settings (Hospitals, Nursing Homes, or other settings) in which there is an expected likelihood of soiling of inanimate surfaces, objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURES: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

CONTACT TIME: Effective against HIV-1 (AIDS virus) on hard non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) when used at a 1:64 dilution (providing 600 ppm of active quaternary) in 400 ppm CaCO₃ hard water for a contact time of 4 minutes at room temperature (20-25 degrees C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed (listed on labeling).

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

MILDEW/STATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply solution (2 ounces per gallon of water) with cloth, mop, sponge, or trigger spray making sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

NPCA Hazardous Materials Identification System

Health	3
Flammability	0
Reactivity	0
Maximum Personal Protection	B

55 GALLON