

4170-81

10/22/2002

1/2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OCT 22 2002

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Candice Rushton
Beteo
1001 Brown Avenue
Toledo, OH 43607

Dear Ms. Rushton:

Subject: Indoor/Outdoor Insecticide
EPA Reg. No. 4170-81
Submission dated 7/24/02


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

The Directions for Use in hospitals must be modified to read as follows:
In hospitals, patients should be removed from the room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

You are reminded of the schedule to upgrade disposal statements in accordance with PR Notice 2001-6.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

Joe 
Joseph Tavano
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)



INDOOR • OUTDOOR INSECTICIDE



DIRECTIONS FOR USE:
 See label on container for complete instructions. For more information, contact your local health department or the manufacturer.
PRECAUTIONARY STATEMENTS:
Hazardous to Humans and Domestic Animals
CAUTION
 Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not apply directly to food. In commercial food handling facilities, cover or remove any food processing equipment during application. Do not apply while food processing is underway. After insect spraying in meat packing plants, bakeries, and other food processing plants, wash all equipment, benches, shelving, where exposed food will be handled, thoroughly with an effective cleaning compound and rinse with potable water.
FIRST AID:
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR ON CLOTHING:** Take off contaminated clothing. Rinse skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 3 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Do not apply directly to food. In commercial food handling facilities, cover or remove any food processing equipment during application. Do not apply while food processing is underway. After insect spraying in meat packing plants, bakeries, and other food processing plants, wash all equipment, benches, shelving, where exposed food will be handled, thoroughly with an effective cleaning compound and rinse with potable water.

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR ON CLOTHING:** Take off contaminated clothing. Rinse skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 3 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this water-based product to conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards. Do not use on surfaces that can be harmed or stained by water.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to terrestrial areas below the mean high water mark. Drift and run off from treated areas may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

STORAGE: Keep in a locked storage area. **CONTAINER DISPOSAL:** Replace cap and discard container in trash.

EPA EST. NO. 10807-GA-1
EPA REG. NO. 4170-81

MSDS No. 020



Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



©2002 Betco Corporation
1001 Brown Avenue • Toledo, Ohio 43607-0127
U.S.A. All Rights Reserved. www.betco.com



5202

7 00427 02023 9

INDOOR INSECTS



Contains a highly active synthetic pyrethroid for fast knockdown and kill of flying and crawling insects.

ACTIVE INGREDIENTS:

*Resmethrin	0.25%
INERT INGREDIENTS:	99.75%
TOTAL	100.00%

*[5-(phenylmethyl)-3-furyl]methyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate
Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION:
See back panel for additional precautionary statements.

Net Wt. 16 oz. (1 lb.) (454 g)

ACCEPTED
with COMMENTS
In EPA Letter Dated
OCT 22 2002

4170-81

2/c

6717-06-05BA, 11-01 BETCO