




ACTIVE INGREDIENTS	
Ferbam (Ferric Dimethyl Dithiocarbamate)	11.4%
INERT INGREDIENTS	
	88.6%
TOTAL	100.0%

SUGGESTIONS FOR USE

IT IS VERY IMPORTANT THAT IT BE UNDERSTOOD THAT THIS FERBAM DUST MUST BE APPLIED BEFORE DISEASE INFECTION OCCURS IN THE PLANTS.

FOR TOBACCO PLANTS: This dust should be applied to the plants as soon as they are in the field. It should be applied to the leaves and stems of the plants. It should be applied to the plants at intervals of two to three weeks. It should be applied to the plants at intervals of two to three weeks. It should be applied to the plants at intervals of two to three weeks.

FOR OTHER PLANTS: This dust should be applied to the plants as soon as they are in the field. It should be applied to the leaves and stems of the plants. It should be applied to the plants at intervals of two to three weeks. It should be applied to the plants at intervals of two to three weeks. It should be applied to the plants at intervals of two to three weeks.

CAUTION

May cause irritation of eyes, nose, throat, and skin. Avoid contact with eyes, skin, or clothing. If contact occurs, wash with water. If eyes are affected, get medical attention.

Do not use in areas where food is grown. Do not use in areas where food is grown. Do not use in areas where food is grown. Do not use in areas where food is grown. Do not use in areas where food is grown.

NOTICE OF WARRANTY: This product is warranted to be free from defects in material and workmanship. It is not warranted to be free from defects in material and workmanship. It is not warranted to be free from defects in material and workmanship.

CAUTION: KEEP OUT OF REACH OF CHILDREN

© 1964 THE BORDEN CHEMICAL COMPANY

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION