



**SMITH  
DOUGLASS**  
FARM CHEMICALS

## RESTRICTED USE PESTICIDES

For use only by Certified Applicators or persons under their direct supervision, and only for the uses registered by the Certified Applicator's Certificate.

# Parathion 4% Granular

BEST DOCUMENT AVAILABLE

ACTIVE INGREDIENT  
Parathion

INERT INGREDIENTS

TOTAL

10,0% Diethyl O-p-nitro-phenyl thiophosphate

ACCEPTED

APR 23 1930

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 4185-120

### DIRECTIONS

FOR CONTROL OF SAND HATCHLING AND OTHER PESTS ON  
NEWLY SET TOMATO PLANTS. Apply 1/2 lb. per 100 sq. ft.  
to soil with granular applicator. Repeat application  
if necessary. For control of other pests, see label.  
For control of other pests, see label.

### CAUTION

Parathion is a highly toxic chemical.

### WARNING

Parathion is a highly toxic chemical. It is fatal if swallowed, absorbed through the skin, or inhaled. It causes severe irritation of the eyes, nose, and throat. It is also a powerful irritant of the respiratory system. It is highly flammable. It is a strong oxidizing agent. It is a powerful irritant of the skin. It is a powerful irritant of the eyes. It is a powerful irritant of the nose and throat. It is a powerful irritant of the respiratory system. It is highly flammable. It is a strong oxidizing agent. It is a powerful irritant of the skin. It is a powerful irritant of the eyes. It is a powerful irritant of the nose and throat. It is a powerful irritant of the respiratory system.

DANGER



POISON

SYMPTOMS: Irritation, blurred vision, weakness, nausea, cramps, diarrhea, and other effects.

ANTIDOTE: ATROPINE is the specific antidote. Obtain emergency supply of Atropine immediately. Administer 1 mg. orally or 0.5 mg. intravenously. Repeat as needed.

### FIRST AID TREATMENT

Swallowed: Give 1000 cc. of water or milk. Do not induce vomiting. Repeat until patient is conscious. Inhaled: Remove patient to fresh air. Give oxygen if available. Skin: Wash with soap and water. Eyes: Flush with water for at least 15 minutes. Inhalation: Give oxygen if available. Repeat as needed.

For more information, see the full label. Parathion is a highly toxic chemical. It is fatal if swallowed, absorbed through the skin, or inhaled. It causes severe irritation of the eyes, nose, and throat. It is also a powerful irritant of the respiratory system. It is highly flammable. It is a strong oxidizing agent. It is a powerful irritant of the skin. It is a powerful irritant of the eyes. It is a powerful irritant of the nose and throat. It is a powerful irritant of the respiratory system.

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See antidote and other warnings on this label

Distributed by SMITH-DOUGLASS

DIVISION OF BORDEN CHEMICAL, BORDEN INC., NORFOLK, VIRG. 23501

E.P.A. Reg. No. 4185-120

TERA PESTICIDE-4185-120-1