



ACTIVE INGREDIENTS:	
Carbaryl (1-naphthyl N-methylcarbamate)	3.0%
Parathion**	1.0%
INERT INGREDIENTS:	96.0%
TOTAL	100.0%

*Trademark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.
 **O,O-diethyl O-p-nitrophenyl thiophosphate.

6/5/67

7135 135

DIRECTIONS FOR USE

POTATOES. To control Colorado Potato Beetle — Dust at the rate of 15 to 20 lbs. to the acre.

To control Leafhopper, Aphid and Flea Beetle — Dust at the rate of 30 to 35 lbs. to the acre. Apply dust thoroughly to upper and lower leaf surfaces. Repeat applications, if necessary, at 7-10 day intervals. Do not use within 5 days of harvest. Will not control insects if used with lime or other highly alkaline materials. Do not graze treated fields or feed trash to dairy or meat animals.

WARNING

May be fatal if swallowed, inhaled, or absorbed through skin. Avoid breathing dust. Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Do not apply when weather conditions favor drift of dust from areas treated. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

This product is poisonous to fish and wildlife. Keep out of lakes, streams and ponds. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by burying with wastes or by burning. Keep out of smoke.

DANGER



POISON

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, dizziness, chest and discomfort in the chest. **ANTIDOTE:** ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1-100 grain tablets from your physician. Keep on hand. **CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

IF SWALLOWED — Give tablespoonful of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet. **INHALATION** — Remove patient from contaminated atmosphere. **SKIN** — In case of contact remove contaminated clothing and immediately wash skin thoroughly with soap and water. **EYES** — In case of contact flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Treatment — Give atropine preferably by the mouth, grains 1-30 to 1-15 to 2 to 4 mg. at once and every hour or fifteen minutes until relief is achieved and maintain full atropinization. Never give morphine. Clear chest by coughing or tracheal suction. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

NOTICE OF WARRANTY: The Borden Chemical Company warrants that the product is as labeled only when the content of the container corresponds to the label and the label, the container, label, or tag. **THERE IS NO WARRANTY OF MERCHANTABILITY AND THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE ANTIPOISONING INFORMATION** on the label, container, or tag, whether in accordance with the label or not.

WARNING: KEEP OUT OF THE REACH OF CHILDREN

See antidote and other warnings on this label

Distributed by **THE BORDEN CHEMICAL COMPANY**

SMITH DOUGLASS DIVISION • Norfolk, Va.

USDA Reg. No. 41-5-135