



ACTIVE INGREDIENTS	
Carbaryl (1-naphthyl N-methylcarbamate)	100
INERT INGREDIENTS	90
TOTAL	190

*Trademark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS

NOTION. For Control of Early Season Thrips and Cotton Fleahopper — Apply 1 to 1.5 pounds of Smith Douglas Sevyn 100 Dust per acre on appearance of insects.

For Control of Mid and Late Season Boll Weevil, Bollworm, Cotton Leaf Worm, ~~Loopers~~ and ~~Yank Loops~~ and Cotton Leaf Perforator — Apply 10 to 15 lbs. of Smith Douglas Sevyn 100 Dust per acre at five to seven day intervals on appearance of insects.

FOR CONTROL OF SALT MARSH CATERPILLAR Apply 10 pounds of Smith Douglas Sevyn 100 Dust per acre. AFHID populations will be reduced when this insecticide is used in a regular regime of treatments. Where late instars are encountered use a light application of the sevyns. Heavy applications to late instars will be ineffective. Use of cotton may be applied after boll opening. Do not use on treated fields or feed them to dairy or meat animals.

CRABAPPLE and **PEAR** — Apply 10 to 15 lbs. of Smith Douglas Sevyn 100 Dust per acre. When used in a regular regime of treatments, it will control the pest. Do not use on treated fields or feed them to dairy or meat animals.

FOR CONTROL OF EARLY SEASON THIRPS AND COTTON FLEAHOPPER — Apply 1 to 1.5 lbs. of Smith Douglas Sevyn 100 Dust per acre on appearance of insects.

NOTE

1. If late applications are necessary, treat immediately after rain or after the first irrigation. Treated fields may be entered immediately after irrigation.
2. Some phytotoxicity may occur on tender foliage. Examine plants for symptoms of phytotoxicity of several days duration following application.

WARNING

HARMFUL IF INHALED OR SWALLOWED. Do not take internally. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Do not get on face, neck or hands. Skin contact may be harmful. Avoid contact with eyes. If contact occurs, flush eyes with water. Wash thoroughly after handling. Avoid contact with feed and foodstuffs.

Keep out of any body of water. Do not use in or near water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

Keep out of any body of water. Do not use in or near water. Do not use in or near water. Do not use in or near water.

NOTICE OF WARRANTY — This product is warranted to be free from insecticide residues. It is not a guarantee of performance. The user assumes all responsibility for the proper use of this product. Smith Douglas Sevyn 100 Dust is a registered trademark of The Dow Chemical Company.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See other warnings on this label.

© 1964 The Dow Chemical Company, Freeport, New York