




ACTIVE INGREDIENT:
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate) 2%
INERT INGREDIENTS: 98%
TOTAL 100%

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS. Use 12 to 20 lbs. per acre unless otherwise specified. This product is suitable for application through ground dusters, airplane or hand equipment.

APHIDS — CABBAGE, CAULIFLOWER, AND BRUSSELS SPROUTS: 15 to 20 lbs. to the acre. Not more than two applications and no application after the heads start to form or within 21 days of harvest, whichever is the earlier.

MEXICAN BEAN BEETLE — BEANS: 20 to 25 lbs. to the acre. No application within 21 days before harvest.

APHIDS — PEAS: 20 to 25 lbs. to the acre. Not more than two applications during the growing season and no application within 15 days of harvest time or after bloom, whichever is the earlier.

APHIDS — TOMATOES: 20 to 25 lbs. to the acre. Not more than two applications and no application within 21 days of harvest.

RED SPIDER — STRAWBERRIES: 25 to 35 lbs. to the acre. One or two applications during growing season and no application after fruit sets or before harvest.

ARMY WORMS — YOUNG KALE, COLLARDS AND CABBAGE: 15 to 20 lbs. to the acre. Do not apply within 21 days of cutting time. In case of Kale or Collards, No application after heads have started to form in case of Cabbage.

APHIDS, RED SPIDER MITES, LEAFHOPPERS — APPLES: 17 to 25 lbs. per acre. Do not apply within 14 days of harvest.

BLOSSOM WEEVILS — BLUEBERRIES: 15 to 25 lbs. per acre when leaf buds are now green and 7 to 9 days later. Apply only before fruit set or after harvest.

APHIDS, LEAFMINER, THRIPS, SPIDER MITES — CELERY: 10 to 15 lbs. per acre. Do not apply within 30 days of harvest.

THRIPS — ONIONS: 12 to 17 lbs. per acre. Not more than 2 applications per season. Do not apply within 15 days of harvest.

CUCUMBER BEETLE, MELON WORM, PICKLE WORM, SERPENTINE LEAF MINER, APHID, RED SPIDER MITES, THRIPS — CUCUMBER, SQUASH, MELONS: 17 lbs. per acre. Do not apply to Cucumbers before vining or within 15 days of harvest. Do not apply to Squash within 15 days of harvest. Do not apply to Melons within 7 days of harvest.

BLACK PECAN APHID — PECANS: 10 to 15 lbs. per acre. Covering trees thoroughly. Consult State Agricultural Experiment Station for proper timing of application. Do not apply after husks start to open. Do not feed vegetation under nut trees treated with parathion to dairy animals or animals being finished for slaughter.

APHID AND SERPENTINE LEAF MINER — PEPPERS: 15 to 20 lbs. per acre. Do not apply within 15 days of harvest.

RED SPIDER MITES, APHIDS, COLORADO POTATO BEETLE, FLEA BEETLE, LEAFHOPPER, SERPENTINE LEAF MINER, GRASSHOPPERS, WHITE FLY — POTATOES: 15 to 20 lbs. per acre. Do not apply within 5 days of harvest.

APHIDS — SPINACH: 17 to 20 lbs. per acre. Do not apply within 7 days of harvest.

WALNUT APHID — WALNUTS: Do not apply more than 2 or 3 times during the season. Do not apply on Walnuts after outer husks open.

COTTON APHID, RED SPIDERS, LEAFHOPPER — COTTON: Do not apply more than 2 or 3 times during the season. Do not apply within 5 days before hand picking, or within 15 days if cotton trash is to be fed to dairy animals or animals being finished for slaughter.

GREENBUG (APHIDS), ARMYWORMS AND GRASSHOPPERS — VETCH, ALFALFA, CLOVER, WHEAT, OATS, BARLEY: 17 to 20 lbs. per acre. Do not apply within 15 days of cutting or forage use.

WARNING

May be fatal if swallowed, inhaled, or absorbed through skin. Avoid breathing dust. Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feet and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. This product is poisonous to fish and wildlife. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift of dust from areas treated. Dispose of wastes by burying in non-crop land away from water courses. Containers should be disposed of by burning with wastes or by burning. Keep out of smoke.

DANGER

POISONING SYMPTOM: Headache, burning in mouth, weakness, dizziness, nausea, vomiting, discomfort in the chest. ANTIDOTE: ATROPINE. The lips should be kept moist. Obtain emergency supply of Atropine 1 to 2 mg. tablets from a physician. Keep on hand. CALL A PHYSICIAN IMMEDIATELY if poisoning has been or is being done with Parathion. Develop poisoning symptoms: IF SWALLOWED — Give 1 tablespoonful of 1% solution of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet. INHALATION — Remove patient from contaminated area and breathe fresh air. If breathing is difficult, give oxygen. Nothing and immediately wash skin thoroughly with soap and water. In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Breathing — Give atropine 1 mg. subcutaneously, repeat 1 to 2 mg. 15 to 30 min. at one and every hour. Monitor and keep patient's heart rate and maintain full atropinization. Never give morphine. Clear the respiratory tract by suction. Artificial respiration or oxygen administration may be necessary. Continue atropinization for 15 hours.

NOTICE OF WARRANTY: The Borden Chemical Company, Inc. warrants that the contents of the container correspond to the label and that the label, label, or tag. THERE IS NO WARRANTY OF MERCHANTABILITY AND THERE ARE NO WARRANTIES THAT EXTEND BEYOND SUCH ANALYSIS. Buyer assumes all risks of use, storage or handling, whether in accordance with the label or not.

WARNING: KEEP OUT OF REACH OF CHILDREN

See antidote and other warnings on this label

Distributed by THE BORDEN CHEMICAL CO.