



<b>ACTIVE INGREDIENTS:</b>	
Carbaryl (1-naphthyl N-methylcarbamate)	5%
Copper Expressed as Metallic (Derived from Cuprous and Cupric Oxides)	4%
Sulfur	75%
<b>INERT INGREDIENTS:</b>	16%
<b>TOTAL</b>	<b>100%</b>

\*Trademark of Union Carbide Corp. for the active ingredient  
1 naphthyl N-methylcarbamate

#### DIRECTIONS FOR USE

**FOR PEANUTS:** Apply at the rate of 20-30 lbs. per acre to control Thrips, Leafhoppers, Cucumber Beetles, Bean Leaf Beetle, Velvet Bean Caterpillar, Corn Earworm, Armyworm and Leaf Spot Disease. Can be used up to day of harvest. Apply 3 to 5 applications. First application last week in June, or not later than July 10; following applications at 14 day intervals.

#### WARNING

**HARMFUL IF INHALED OR SWALLOWED.** Avoid prolonged breathing of dust. Do not take internally. **SKIN CONTACT MAY BE HARMFUL.** Avoid contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing.

Change to clean clothes daily. **KEEP OUT OF REACH OF CHILDREN AND ANIMALS.** Avoid storage near feed and food products.

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

**NOTICE OF WARRANTY:** The Borden Chemical Company, Smith Douglass Division, warrants only that the contents of the container correspond to the analysis printed on the container, label, or tag. **THERE IS NO WARRANTY OF MERCHANTABILITY AND THERE ARE NO WARRANTIES THAT EXTEND BEYOND SUCH ANALYSIS.** Buyer assumes all risks of use, storage or handling, whether in accordance with directions or not.

**CAUTION: KEEP OUT OF THE REACH OF CHILDREN**  
See additional warnings on this label

Distributed by **THE BORDEN CHEMICAL COMPANY**  
SMITH DOUGLASS DIVISION • Norfolk, Va.