




## AN AGRICULTURAL INSECTICIDE & FUNGICIDE

ACTIVE INGREDIENTS.

ACTIVE INGREDIENTS:  
Carbaryl (1-naphthyl N-methylcarbamate)  
Sulfur

 $10^3$ 

4000

50° ±

INERT INGREDIENTS

|       |      |
|-------|------|
| TOTAL | 100% |
|-------|------|

100%

\*Trade Mark of Union Carbide Corporation for the active ingredient, 1-propyl, N-propyl-carbamate, Carbaryl.

### DIRECTIONS FOR USE

Apply the specified amounts of this product uniformly to the foliage when air is calm, using ground equipment, aircraft, or hand duster. Apply at the first sign of infestation and infection and repeat at 5 to 10 day intervals, depending on severity of disease and insect conditions, but observe use limits given for specific crops. All dosages are given in pounds per acre. Observe use limits given for specified crops.

BEANS: Use 10 lbs. for Mexican Bean Beetle 1-4 10 lbs. for Bean Leaf Beetle Cutworm  
Leaf Beetles, Fleabeetles, Japanese Beetle, Leafhoppers, Powdery Mildew, Rust, velvet  
bean Caterpillar and Western Bean Cutworm. Use 10-15 lbs. for Armyworms and \* 1/2 bushel  
Plant Bugs, 1/2 lbs. for Corn Earworm, Lima Bean Pod Borer, Lygus and Stink Bugs etc.  
be applied up to and including the day of harvest.

[illegible]

BUGS: PEPPER, POTATO AND TOMATO. The European Corn Borer, European Potato Beetle, Colorado Potato Beetle, and Leafhopper. See also Bugs in the European Corn Borer For Armyworms. Bugs: Potato Fleaworm, Tomato Fleaworm, Tomato Pinworm, Tomahawk Bug, and Stink Bugs may be appropriate for a separate list.

**GRAPES:** Use 10-20 lbs. for Grape Leaf Folder, Grape Leaf Hopper, Grape Leaf Skeletonizer and Powdery Mildew. Apply as needed for Leafhoppers. Use 20 lbs. for Grape Berry Moth, Japanese Beetles, June Beetles and Redbanded Leaf Miner. May be applied up to and including the day of harvest.

[illegible][illegible]

## USE PRECAUTIONS

Several recent studies have not only found results consistent with ours, but also have shown that

They're better off, says DePaulo, who found that when people are told that their emotions are not the same as others', they tend to during such periods to "look for people who are different from them." It's a "distraction" into the week after, when it's just a matter of "being a kid and doing the same old same old stuff, and going on with this emotion."

[illegible][illegible]

United States Agency for International Development, Washington, D.C. 20547

**WARNING**

**HARMFUL IF INHALED OR SWALLOWED.** Do not get in eyes, on skin, or on clothing. Avoid prolonged breathing of dust. Do not take internally. Skin contact may cause irritation. Avoid unnecessary contact. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing and shoes daily. **FOR PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is an antidote. **AVOID CONTAMINATION OF FOOD, FEED, FEEDING MATERIALS AND WATERING RECEPTACLES.**

Dispose of wastes by burying, with or without water, in pits or trenches. Wastes should be disposed of by burying with wastes or by burning, free, out of the hole.

**NOTICE OF WARRANTY:** The Borden Chemical Company, South Plainfield, New Jersey, warrants only that the contents of the container correspond to the analysis printed on the container, label, or tag. THERE IS NO WARRANTY OF MERCHANTABILITY AND THERE ARE NO WARRANTIES THAT EXTEND BEYOND SUCH ANALYSIS. Buyer assumes all risk of use, storage or handling, whether in accordance with directions or not.

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See other warnings on this label

Distributed by THE BORDEN CHEMICAL COMPANY

SMITH DOUGLASS DIVISION • Norfolk, Virginia