

Bag Print (Paper)
NITRO CRABGRASS PREVENTER
Size: 15 lbs.

Back Panel (continued)

DIRECTIONS
ORNAMENTAL TURF ONLY

Nutro Crabgrass Preventer not only prevents crabgrass but many other weeds as they germinate.

APPLY DURING EARLY SPRING BEFORE CRABGRASS SEED GERMINATES. THIS IS USUALLY THE TIME WHEN FORSYTHIA BLOSSOMS START TO FALL. THE CONTENTS OF THIS PACKAGE WILL TREAT 2,500 SQ. FT. OF LAWN. SEE SPREADER SETTING CHART BELOW.

For Grassy and Broadleaf Weed Control: This product provides excellent control of grassy and broadleaf weeds. Species controlled are: Carpetweed, common chickweed, fall panicum, Florida pussley, green foxtail, lambsquarters, lovegrass, purslane, Texas millet, witchgrass, and yellow foxtail.

Distribute contents evenly over the area to be covered. To assure even coverage, it is recommended that one-half application be applied going back and forth across your lawn. Apply the other half in a similar manner going in the other direction (crosswise to the first application).

IMPORTANT: It is recommended that no reseeding be done the same season Nutro Crabgrass Preventer is applied. However, it is possible to reseed 60 days after application by increasing the amount of lawn seed sown by 50% to insure thrifty stands. Nutro Crabgrass Preventer can be applied to newly emerged grass after it reaches a height of one to two inches.

CAUTION: Do not apply to newly seeded lawn areas until after greening appears. Do not use on Dichondra lawns. Do not store near seed, fertilizer, or other pesticides. Do not use on Cohansy or Toronto Bents.

CAUTION: Do not contaminate feed or foodstuffs. Do not take internally. Avoid contact with eyes. Wash after handling or using. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Avoid prolonged or repeated inhalation of dust or contact with skin.

Apply this product only as specified on this label. Do not apply where runoff is likely to occur.

DIRECTIONS
FOR WEED CONTROL IN FLOWER BEDS AND VEGETABLE GARDENS

FLOWER BEDS:


Nutro Crabgrass Preventer should be applied in early spring, prior to weed seeding emergence, or after the soil has been cultivated and established weeds eliminated. A good rule of thumb for selecting the time to apply is to make the application prior to the time when Forsythia drops its flowers. At this time the soil is still cold and weather relatively cool and humid.

Plant beds should be cleanly cultivated before transplanting or seeding. The surface should be free of weed plants. Application can then be made to prevent weed seed germination.

VEGETABLE GARDENS:

Nutro Crabgrass Preventer controls undesirable grasses as well as grassy type weeds in vegetable gardens, while it provides plant food to the crop. Follow directions carefully: Broccoli, brussels sprouts, cauliflower, cabbage, field beans, snap beans, blackeyed peas, collards, kale, mustard greens, turnips, garlic, onions, potatoes: Apply at time of seeding or planting. Apply uniformly to the soil.

Front Panel



Bag Print
NUTRO LAWN WEED KILLER
Size: 10 lbs.
June 26, 1968

TREATS 5,000 SQ. FT.

ORGANIC
CHEMICAL

NUTRO
(R)
LAWN WEED KILLER

USDA Reg. No. 4185-381

Ingredient Statement as Herbicide:
ACTIVE INGREDIENTS:

Diethylamine Salt of picamba*	0.42%
Diethylamine Salt of related acid	0.08%
Diethylamine Salt of 2,4-dichlorophenoxyacetic acid †	1.38%

INERT INGREDIENTS:	98.12%
Total	100.00%

BANVEL (R) D is a product and registered trademark of the Velsicol Chemical Corporation.

*Equivalent to 0.34% 3,6-dichloro-o-anisic acid (dicamba) or 0.3 pound per acre.

†Equivalent to 1.14% 2,4-Dichlorophenoxyacetic acid or 1 pound per acre.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS.
(See back panel for additional cautions.)

NET WT.

10 LBS.

TREATS 5,000 SQ. FT.

NUTRO LAWN WEED KILLER
(R)

Back Panel

ORGANIC
CHEMICAL

NET WT.

10 LBS.

NUTRO
(R)
LAWN WEED KILLER

Back Panel (continued)

Bag Size:
NUTRO LAWN WEED KILLER
Size: 10 Lbs.

USA Reg. No. 419-411

Ingredient Statement as Herbicide:

ACTIVE INGREDIENTS:

Dimethylamine Salt of Dicamba	0.42%
Dimethylamine Salt of related acid	0.08%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	1.38%

INERT INGREDIENTS:	98.12%
Total	100.00%

BANVEL (R) D is a product and registered trademark of the Velsicol Chemical Corporation.

*Equivalent to 0.3% 3,6-dichloro-o-anisic acid (dicamba) or 0.3 pound per acre.

**Equivalent to 1.14% 2,4-Dichlorophenoxyacetic acid or 1 pound per acre.

NUTRO LAWN WEED KILLER contains two weed killers - 2,4-D and Banvel (R) D - to control broadleaf and viny-type weeds.

For best results, application should be made when the temperature is above 60° F and there is adequate moisture in the soil for weeds to be growing actively. DO NOT WATER for 3 days after application. Grass should not be mowed for several days before and after application.

Apply in the spring, late summer or fall.

BROADLEAF WEEDS CONTROLLED: Dandelion, rye grass, plantain, burdock, curly dock, buckhorn, mustard, nettle, jimson weed, lambsquarters, pigweed, dog fennel, sheep sorrel, hound, chicory, ground ivy, (creeping Charlie), sow thistle, English daisy, hawksweed, lawn burweed, peppercorn, and spurry.

CHICKWEED AND VINY-TYPE WEEDS CONTROLLED: Common chickweed, large and small, perennial chickweed or stitchwort, little blue clover, blue clover, white clover, herb, thymeleaved speedwell, yellow, knotted, spotted spurge, purslane, and carpetweed.

DIRECTIONS

FOR MORE EFFECTIVE CONTROL, APPLY WITH GRASS IS WET WITH DEW.

FOR USE ON LAWN, GOLF COURSE, (not pasture) and GOLF FAIRWAYS, ALLEYS, STEPS & ROADS:
Distribute approximately 2 pounds per 1,000 sq. ft. of lawn area or use the contents of this bag over 5,000 sq. ft. See spreader setting chart below.

CHICKWEED: Application may be made whenever the temperature is above freezing. Chickweed can be controlled at lower temperatures than broadleaf weeds. (A repeat application may be necessary.)

CONDITIONS OF SALE: These directions for use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on



Bag Print
NUTRO LAWN WEED KILLER
Size: 10 Lbs.

Back Panel (continued)

or in food and feed containers. If the directions on the label, because of the wide range of conditions under which the product may be used, do not state the label directions are followed, it is impossible to claim responsibility for any injury. Because of abnormal conditions beyond the control of the seller, and because of the fact that the seller offers, and the buyer purchases, this product subject to the conditions stating that the buyer assumes all such risks.

IMPORTANT: Use only on established lawns. Avoid drift of dust on vegetables, flowers, ornamental trees and shrubs, and other desirable plants. If some of the material comes in contact with desirable plants, it is recommended that plants be hosed off thoroughly with water as soon as possible.

Do not store near other fertilizer, seed, insecticides, or fungicides. Do not use on Centipede grass, St. Augustine grass, or Dichondra nor on lawns or turf where desirable bent-grass or clovers are present. Do not use on Lippia or similar ground covers. DO NOT APPLY TO THE DRIP LINES OF DESIRABLE TREES AND SHRUBS. Do not reuse container; destroy when empty.

CAUTION: Keep out of reach of children and pets. Avoid contact with skin, eyes and clothing. Wash thoroughly after use. Avoid application on garden plants, flowers and shrubs. Do not store near fertilizer, seeds, insecticides or fungicides. Do not contaminate irrigational ditches or water used for irrigational purposes.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER; FOR EYES, GET MEDICAL ATTENTION.

WARRANTY AND LIMITATIONS OF DAMAGES. The Borden Chemical Co. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. The Borden Chemical Co. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of The Borden Chemical Co. is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential or special damages such as loss of profits or values, etc.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

THE BORDEN CHEMICAL COMPANY, SMITH-FOLIAGE DIVISION, NORFOLK, VA. 23501

