

this is a one panel label measuring 8" x 9". Net contents will appear on container.

SMITH-DOUGLASS
DITHANE* N-45 - SEVIN** 5-5 DUST

ACTIVE INGREDIENTS:

*A coordination product of Zinc and manganese
ethylenebisdithiocarbamate 5.0%
**Carbaryl (1-naphthyl N-methyl carbamate) 5.0%
INERT INGREDIENTS: 90.0%
Total 100.0%

*DITHANE is a trademark Reg. U. S. Pat. Off. and in
principal foreign countries.

**SEVIN, U. S. Pat. Nos. 2,903,478; 3,009,855

DIRECTIONS FOR USE 1-1.5

ACCEPTED

JUN 25 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 45-384 SUBJECT
TO ATTACHED COMMENTS.

PEANUTS-- To control potato leafhopper, thrips, velvet bean caterpillar, corn
earworm, armyworms, webworms, stink bugs, grasshoppers, blister beetles, green
cloverworm, Cercospora leaf spot.--Apply 20 to 30 pounds of dust per acre by
ground duster or airplane. Apply when insects first appear or when disease
spots first appear on old leaves at the base of the plant. If a heavy rain
occurs within 24 hours after the first application, repeat in three to seven
days; otherwise, repeat at ten to fourteen day intervals.

CAUTION

Harmful if swallowed, inhaled or absorbed through skin! Do not breathe dust.
Avoid contact with eyes or skin. Wash thoroughly after handling. Wash all
contaminated clothing with soap and water before re-use. Avoid storage near
feed and foodstuffs.

May cause irritation of eyes, nose, throat and skin. In case of contact, flush
with plenty of water; for eyes, get medical attention.

Do not feed treated forage to dairy animals or to animals being finished for
slaughter.

Do not allow this material to drift onto neighboring crop or non-crop areas
or use in a manner or at a time other than in accordance with directions, because
plant injury, excessive residues or other undesirable results may occur.

For protection of honey bees avoid use, if possible, during periods when honey
bees are visiting the crop. When necessary to use during such periods, warn
beekeepers well in advance to locate hives at a safe distance until one week
after application.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers
should be disposed of by burying with wastes or by burning (Keep out of smoke).

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor.
Atropine is antidotal.

NOTICE OF WARRANTY: The Borden Chemical Company, Smith-Douglass Division, warrants
only that the contents of the container correspond to the analysis printed on the
container, label or tag: THERE IS NO WARRANTY OF MERCHANTABILITY AND THERE ARE NO
WARRANTIES THAT EXTEND BEYOND SUCH ANALYSIS. Buyer assumes all risks of use, storage
or handling, whether in accordance with directions or not.


CAUTION: KEEP OUT OF REACH OF CHILDREN

See other cautions on this label

Distributed by THE BORDEN CHEMICAL COMPANY

Smith-Douglass Division • Norfolk, Va.

5-68



USDA Reg. No. 4185

Subject to comment