

METHYL PARATHION 6-3 E.C.

BEFORE READING WARNINGS ON OTHER SIDE OF CONTAINER

IMMEDIATE

Keep container closed. Leaking
Do not store below 20° F.

USE PRECAUTIONS

Use only for specific crops. In order
storage crops will not exceed
Food and Drug Administration,
intervals and do not apply
not apply or allow to drift to
or beneficial animals or onto
The grower is responsible for
damages caused by drift from his

Do not contaminate any body of
specified on the label.

Do not use this product if
flowers are in bloom. Remove or
during bloom. Do not use this
dairy animals or to livestock
Do not store near heat or open

Consult State Agricultural Experiment Station for additional informa-
tion as to the timing of applications.

Toxaphene produces central nervous system stimulation which re-
sponds to barbituric acid derivatives. A physician should treat this
condition symptomatically.

DANGER

Poisonous if swallowed, inhaled, or absorbed through skin. Rapidly
absorbed through skin. Do not get in eyes, on skin or on clothing.
Wear natural rubber gloves, protective clothing and goggles. In case
of contact, wash immediately with soap and water. Wear a mask or
respirator of a type passed by the U. S. Bureau of Mines for
parathion protection. Airplane pilots should wear full face canister-
type mask. Keep all unprotected persons out of operating areas or
vicinity where there may be danger of drift. Vacated areas should
not be re-entered until drifting insecticide and volatile residues have
dissipated. Do not contaminate feed and food. Wash hands, arms
and face thoroughly with soap and water before eating or smoking.
Wash all contaminated clothing with soap and hot water before re-use.

DESTROY EMPTY CONTAINER—NEVER RE-USE

Completely empty contents and bury unused chemical 18 inches deep
in an isolated location away from water supplies.

GLASS CONTAINER: Break container and bury 18 inches deep.

METAL CONTAINERS. 1-Gal. Can—Pour 1 pt. of water into empty
can. Add 1 tablespoon of household detergent. Rotate can carefully
until all inner surfaces are thoroughly wet. Bury rinse solution 18
inches deep. Punch holes in top and bottom of container, crush
and bury. 5-Gal. Drum—Pour 2 qt. of water into empty container.
Slowly add 1/2 cup caustic soda (lye) and 2 tablespoons household
detergent. Then proceed as for 1-gal. container. 30-Gal Drum—Same
as for 5-gal. drum except use 3 gallons water, 1 lb. lye, and 1/2 cup
detergent for rinsing. 55-Gal. Drum—Same as for 5-gal. drum except
use 5 gallons water, 2 lb. lye and 1 cup detergent for rinsing. Do not
get rinse solutions on hands, clothing or in eyes. In case of contact,
immediately wash with soap and water.

NOTICE: Seller warrants that this product conforms to its chemical
description and is reasonably fit for the purpose stated on the label
when used in accordance with directions under normal conditions of
use, but seller makes NO WARRANTY OF MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE or any other warranty,
express or implied, except as herein stated. Seller's liability is limited
to the purchase price of the product and this shall be the buyer's
only remedy. Buyer assumes the risk of use of this product contrary
to label instructions, carelessly, or under conditions not intended by
or not reasonably foreseeable to seller.



DANGER—POISON—PRECAUTIONS 

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.


POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Distributed By **SMITH-DOUGLASS**
Division of Borden Chemical, Borden Inc
Norfolk, Va.

POISON

See side panels for antidote and precautions



STOP! READ THE LABEL



CAN KILL YOU

DANGER

Keep out of reach of children

TOXAPHENE-METHYL PARATHION 6-3 E.C.

ACTIVE INGREDIENTS:

*Toxaphene	52.48%
**O,O.-dimethyl O-p-nitrophenyl thiophosphate	26.24%
Aromatic petroleum solvents	15.28%
INERT INGREDIENTS	6.00%
Total	100.00%

- *Technical Chlorinated Camphene (67%-69% Chlorine)
- **Otherwise known as Methyl Parathion

Contains 6 lbs. Toxaphene and 3 lbs. Methyl Parathion per gallon

NOT FOR HOME USE

USE C
PRO
(1) W
or ru
Wear
of Mi
duty.
Keep
treat
Do n
appli
hour
cloth
Do n
in an
a doc
Expla
thion
given
tor c
IMPC
with
arms
drink
Af TE
Show
cloth
cloth
equi
pirat
ing t

DANGER
Keep out of reach
of children

PARATHION 6-3 E.C.

.....	52.48%
.....	26.24%
.....	15.28%
.....	6.00%
Total	100.00%

Parathion per gallon

USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not hand pick or harvest within 7 days of application. Workers entering fields within 24 hours after application should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT **+**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Toxaphene produces central nervous system stimulation which responds to barbituric acid derivatives and a physician should treat this condition symptomatically.

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives. **DO NOT GIVE MORPHINE OR TRANQUILIZER.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached label for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label instructions on other side of container.

EPA Reg. No. 4185-414

DURHAM END OF TRAIL

FOR DICONDRA AND TURF LAWNS (Cont'd.):

INSECT GRANULES AT THE RATE OF ONE POUND TO 1500 SQUARE FEET. WITHHOLD WATERING FOR 48 HOURS AFTER TREATMENT.

TO CONTROL ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS) AND SOWBUGS APPLY AT THE RATE OF ONE POUND TO 200 SQUARE FEET. FOLLOW WATERING PRACTICES AS OUTLINED ABOVE. REPEAT TREATMENT AS NECESSARY.

WARNING: MAY BE FATAL IF SWALLOWED. DO NOT TAKE INTERNALLY. HARMFUL DUST. AVOID BREATHING DUST AND VAPOR. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT CONTAMINATE OR STORE NEAR FEED OR FOODSTUFFS.

WASH AFTER HANDLING. BAITS SHOULD BE SPREAD IN SUCH A WAY THAT CHILDREN, PETS OR FARM ANIMALS CANNOT REACH THEM. BIRDS FEEDING IN TREATED AREAS MAY BE KILLED. DO NOT STORE IN DIRECT SUNLIGHT.

NOTICE: DURHAM CHEMICAL COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSE, CONCERNING THIS MATERIAL, EXCEPT THOSE WHICH ARE CONTAINED ON DURHAM'S LABEL.

MANUFACTURED BY

DURHAM CHEMICAL COMPANY
4124 E. PACIFIC WAY
LOS ANGELES, CALIFORNIA
90023

U.S.D.A. REG. NO. 1422-411

SNAIL-SLUG-AND-INSECT GRANULES

CONTROLS SNAILS, SLUGS, ANTS, EARWIGS, FALL ARMYWORMS AND SOD WEBWORMS (LAWN MOTHS) IN ORNAMENTAL GARDENS AND DICONDRA AND TURF LAWNS.

GRANULAR FORMULATION
IN CONVENIENT SHAKER APPLICATOR

FOR FASTER, MORE EFFECTIVE KILL.
BLENDS INTO LAWNS AND ORNAMENTAL GARDEN AREAS.

ACTIVE INGREDIENTS:

CARBARYL-(1-NAPHTHYL N-METHYLCARBAMATE)*... 4.0%
METALDEHYDE 3.0%

INERT INGREDIENTS: 93.0%
TOTAL 100.0%

*SEVIN - REGISTERED TRADEMARK UNION CARBIDE CORP.

WARNING
KEEP OUT OF REACH
OF CHILDREN

Use only as directed - read entire label before using.
See Side Panels for Additional Cautions and Warnings.
Net Contents _____

USE ONLY AS DIRECTED
READ ENTIRE LABEL BEFORE USING

DURHAM END OF TRAIL SNAIL-SLUG-AND-INSECT GRANULE WILL GIVE GOOD CONTROL OF SNAILS, SLUGS, ANTS, EARWIGS, SOWBUGS, FALL ARMYWORMS AND SOD WEBWORMS (LAWN MOTHS). WATER AREA TO BE TREATED WELL-PRIOR TO APPLICATION. THIS PRODUCT CAN BE APPLIED ANY TIME DURING THE DAY BUT LATE AFTERNOON OR EVENING IS PREFERRED.

SIMPLY SHAKE ON THE PROPER AMOUNT OF MATERIAL FROM THE CONVENIENT SHAKER TOP CAN. MAY ALSO BE APPLIED FROM A FERTILIZER BROADCASTING UNIT. DO NOT WATER TREATED AREA FOR 48 HOURS AFTER APPLICATION.

DIRECTIONS FOR USE

FOR ORNAMENTAL GARDENS, PLANTED BORDERS AND GROUND COVERS:

TO CONTROL SNAILS AND SLUGS, WATER AREA TO BE TREATED THOROUGHLY. WITHHOLD WATERING FOR 48 HOURS AFTER TREATMENT. APPLY THIS MATERIAL OVER THE INFESTED AREA AND AROUND THE EDGES OF BORDER AND GROUND COVER PLANTS. APPLY ALSO TO THE BASES OF FENCES AND WALLS AND IN SHADY, PROTECTED AREAS. APPLY AT THE RATE OF ONE POUND TO 1500 SQUARE FEET. REPEAT TREATMENT AS NECESSARY.

TO CONTROL ANTS, EARWIGS, FALL ARMYWORMS, SOD WEBWORMS (LAWN MOTHS) AND SOWBUGS APPLY AT THE RATE OF ONE POUND TO 200 SQUARE FEET. FOLLOW WATERING PRACTICES AS OUTLINED ABOVE. REPEAT TREATMENT AS NECESSARY.

FOR DICONDRA AND TURF LAWNS:

TO CONTROL SNAILS AND SLUGS, WATER AREA TO BE TREATED THOROUGHLY BEFORE APPLICATION. APPLY DURHAM END OF TRAIL SNAIL-SLUG-AND-

