

Label Copy
Nutro Liquid Fruit Tree Spray
Size: 8 OZ.
February 13, 1969

Front Panel

\$1.95

BORDEN
TM

NUTRO
(R)

Liquid

FRUIT TREE
SPRAY

FOR THE CONTROL OF INSECTS AND DISEASES
ATTACKING FRUIT TREES

MAKES UP TO 8 GALLONS OF SPRAY

NET CONTENTS 8 OZ.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS
See Back Panel For Additional Cautions

Back Panel

NUTRO LIQUID FRUIT TREE SPRAY may be used to control insects and diseases listed below in addition to certain other insects and diseases. Spraying should be done starting at bud break and should be repeated as needed. For more information on the use of Nutro Liquid Fruit Tree Spray, see the back panel of the container. For more information on the use of Nutro Liquid Fruit Tree Spray, see the back panel of the container.

~~FOR THE CONTROL OF INSECTS AND DISEASES~~
ATTACKING FRUIT TREES

MAKES UP TO 8 GALLONS OF SPRAY

NET CONTENTS 8 OZ.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS
See Back Panel For Additional Cautions

Back Panel

NUTRO LIQUID FRUIT TREE SPRAY may be used to control insects and diseases listed below in addition to certain others. Spraying should be done starting at blossom petal falling and be repeated every 10 to 14 days thereafter (unless otherwise indicated) and continued as long as local conditions warrant or up to the caution given for the last spray to harvest. Cover foliage thoroughly, being sure to get the underside of the leaves. Dosage measurements given represent the amount of NUTRO LIQUID FRUIT TREE SPRAY to be mixed per gallon of water.

FRUIT TREES AND GRAPES: NUTRO LIQUID FRUIT TREE SPRAY, at 2 tablespoonsful, will control Aphids, Codling Moth, Tent Caterpillar, Mites (European Red, Clover, Williamette and Two Spotted), Pear Psylla, Black Cherry Aphids, Curculio and Japanese Beetles on Apples, Pears, Peaches, Apricots and Grapes. Powdery Mildew on these fruits will also be controlled at same dosage rate. Do not apply to Apples, Pears and Grapes 21 days before harvest or to Peaches and Apricots 45 days before harvest.

SMALL FRUITS (RASPBERRIES AND STRAWBERRIES): NUTRO LIQUID FRUIT TREE SPRAY, at 2 tablespoonsful, will control Fruitworm, Leafhoppers, Mites and Aphids on Raspberries and Aphids, Mites and Spittlebug on Strawberries. Powdery Mildew will also be controlled on Raspberries and Strawberries. Do not apply to Raspberries 7 days before harvest or Strawberries 21 days before harvest.

CAUTION: Keep out of reach of children and pets. Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes and clothing. In case of skin contact, wash with warm water and soap. For eyes, flush profusely with water and contact doctor. Wash well after using, particularly before eating or smoking. Do not spray or allow to drift into areas occupied by unprotected persons or bees.

Label Copy
Nutro Liquid Fruit Tree Spray
Size: 8 OZ.

Back Panel (continued)

ACTIVE INGREDIENTS:

Malathion.....	10.00%
Methoxyfenor Technical**.....	5.00
1, 1-bis (p-Chlorophenyl-2, 2, 2-trichloroethane***	3.30%
Dinitro (1-methylheptyl) phenyl crotonate****	1.54%
Other nitrophenols and derivatives chiefly dinitro (1-methylheptyl) phenol46%
Aromatic Petroleum Solvent	71.20%
INERT INGREDIENTS:	8.50%

*0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate.

**Equivalent to 4.4% 2, 2-bis (p-methoxyphenyl)-1, 1, 1-Trichlorethane and 0.6% other isomers and reaction products.

***Kelthane Reg. T. M. Rohm & Haas Co.

****Karathane

USDA Reg. No. 4185-423

SMITH-DOUGLASS/BORDEN CHEMICAL, DIVISION OF BORDEN INC
COLUMBUS, OHIO 43203