

Harmful if swallowed. Induce vomiting if swallowed. Flammable. Avoid breathing spray mist. Avoid contact with skin and eyes. May be a skin irritant and sensitizer. In case of contact, wash immediately with soap and water. For eyes, flush with water for 15 minutes—get medical attention. Wash thoroughly after using. Do not use on household pets or humans. Keep out of reach of children and pets. Avoid contamination of feed and foodstuffs. If poisoning should occur, call a physician immediately. Atropine is antidotal. Avoid use of the product on certain ferns, including Boston, Maidenhair and Pteris, as well as some species of Crassula. Malathion is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphate compounds although much larger exposures are required.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but Seller makes **NO WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE** or any other warranty, express or implied, except as herein stated. Seller's liability is limited to the purchase price of the product and this shall be the buyers only remedy. Buyer assumes the risk of use of this product contrary to label instructions, carelessly, or under conditions not intended by or not reasonably foreseeable to Seller.

SMITH-DOUGLASS/DIVISION OF BORDEN CHEMICAL.
BORDEN INC
COLUMBUS, OHIO 43203



CONTROLS MANY INSECTS AND DISEASES
ALSO RECOMMENDED FOR EVERGREENS, SHRUBS AND FLOWERS


USDA Reg. No. 4185-435

ACTIVE INGREDIENTS:	
Malathion*	12.50%
Gamma isomer of benzene hexachloride from Lindane	5.00%
Dinitro (1 Methylheptyl) phenyl Crotonate**	1.44%
Dinitro (1 Methylheptyl) phenol and related compounds	0.16%
1, 1-bis (4 Chlorophenyl)-2,2,2-trichloroethanol***	3.00%
Glyodin (heptadecyl 2-imidazole acetate)	12.50%
INERT INGREDIENTS:	65.40%
TOTAL	100.00%

*0, 0-Dimethyl dithiophosphate of diethyl mercaptosuccinate
Karathane *Kelthane

NET CONTENTS 1 PINT

WARNING: KEEP OUT OF REACH OF CHILDREN AND PETS.



HOW TO USE

SHARE WITH NEIGHBORS

Use a Nutro Hose-end Sprayer, or any good tank sprayer.

Mix 2 tablespoonfuls per gallon of water.

Be sure to cover foliage, both top and bottom, thoroughly.

Begin application as soon as leaf growth begins in spring. Repeat every 7 to 10 days. Early morning or late evening applications are preferable.

CAN BE USED ON:
PLANTS

Roses

Evergreens: Juniper, Yew, Arbor Vitae, Cedar, Boxwood.

Shrubs: Spirea, Azalea, Lilac, and Crape Myrtle.

Flowers: Asters, Chrysanthemums, Clematis, Zinnias.

INSECTS OR DISEASES

Black Spot, Powdery Mildew, Aphids, Mites, Thrips, Rose Chafers, Leafhoppers, Japanese Beetles.

Aphids, Mites, Bagworms, Certain Caterpillars, Leaf Miner, and Scale Crawlers.

Powdery Mildew, Aphids, Mites, Leaf Miner, Lace bugs, and Scale Crawlers.

Powdery Mildew, Aphids, Mites, Thrips, Leafhopper, Japanese Beetles.