BORDEN™

Nutro®

D & FEED

22-6-6

ACCEPTED
Jan. 29, 1972
4185-441

...uS*

Total	22.00%
...PHORIC ACID (P_2O_5)	6.00%
SOL... POTASH (K_2O)	6.00%
Total ...ble Primary Plant Food	34.00%
***Chlor... (Cl)	6.50%
... (Fe)	1.00%

...lifzem–Primary Plant Foods Ammonium Phosphate, Urea form, Muriate of Potash

...ed from – Secondary Plant Foods Iron Phosphate

...ential acidity equivalent to 960 lbs Calcium Carbonate per ton

...Canada, Florida and Michigan ... GUARANTEED ANALYSIS ...

Florida Reg. No. 667-1033 Canadian Reg. No.

61° 61° In Florida, use on
BAHIA, BERMUDA AND ZOYSIA GRASSES ONLY.

lawn (unspec. P. ed)

USDA Reg. No. 4185-441

Ingredient Statement as Herbicide

		Canadian requirement Lbs. Per Ton
* ACTIVE INGREDIENTS	1.47%	
Salts (2-(2,4,5-Trichlorophenoxy) Propionic Acid)		5.2
Propylene glycol butyl ether esters	0.47%	
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid**	1.00%	18.6
INERT INGREDIENTS	98.53%	
Total	100.00%	

*Equivalent to 0.33% (2-(2,4,5-Trichlorophenoxy) Propionic Acid) or 0.34 lbs. per acre
**Equivalent to 0.8% 2,4-Dichlorophenoxyacetic Acid or 0.44 lbs. per acre

DIRECTIONS FOR LAWNS

WHEN TO USE: ...

WEEDS CONTROLLED: ...

Broadleaf weeds:	Grassy type weeds:
Dandelion	Crabgrass (Crab-grass)
Ragweed	Mouse-ear (Chickweed)
Plantain	Little hop clover
Buckhorn	Big clover
Burdock	Yellow clover
Mustard	Knotweed
Sorrel	Thyme leaved speedwell
Chickweed	Yarrow
Lawn pennywort	Knotweed
Pigweed	Japanese sedge
Ground ivy	Black medic
Sow Thistle	Purslane
	Lippia

RATE: ...

Spot treatment ... DO NOT APPLY MORE THAN RECOMMENDED RATE — IT DESS...

APPLICATION: ...

FOR BEST RESULTS: ...

AFTER APPLICATION: ...

IMPORTANT: Use only on stable shed lawns. Avoid drift of dust on vegetables, flowers, ornamentals, trees and shrubs and other desirable plants. In some of the more sensitive plants, 1 ounce per 1000 square feet may injure. It is recommended that the plants be managed in such a way as to keep as low as possible injury from this product. ...

DO NOT store near ... Do not use on bentgrass, St. Augustine grass, zoysia grass, or other desirable lawns.

CAUTION: ...

WARRANTY AND LIMITATIONS OF DAMAGES: ...

CONDITIONS OF SALE: ...

GOOD LAWNS MAKE GOOD NEIGHBORS®

SMITH-DOUGLASS / DIVISION OF BORDEN CHEMICAL, BORDEN INC.
COLUMBUS, OHIO 43203

NET WT. 20 LBS.

SPREADER SETTINGS

Nutro Yellowbag	3
Nutro Rainbow	4
Temco & ...	4
LawnBright & ...	5
Scott	5
Sr...	6
Nutro Garden ...	6

...

Purchase ... Nutro ... to a free subscription

NUTRO TURF & GARDEN GUIDE MAGAZINE

Packed in ... with ... money ... please ...

NAME

ADDRESS

CITY STATE ZIP

Nutro®

WEED & FEED

22-6-6

GUARANTEED ANALYSIS*

TOTAL NITROGEN (N)	22.00%
1.0% Ammoniacal Nitrogen	
14.0% Urea Nitrogen	
7.0% Water Insoluble Nitrogen	
AVAILABLE PHOSPHORIC ACID (P_2O_5)	6.00%
**SOLUBLE POTASH (K_2O)	6.00%
Total Available Primary Plant Food	34.00%
***Chlorine (Cl)	6.50%
Iron (Fe)	1.00%

Derived from–Primary Plant Foods: Ammonium Phosphate, Urea, Ureaform, Muriate of Potash.

Derived from – Secondary Plant Foods: Iron Phosphate

Potential acidity equivalent to 960 lbs. Calcium Carbonate per ton.

*In Canada, Florida and Michigan the heading reads "MINIMUM GUARANTEED ANALYSIS"
**In states requiring reads "Water Soluble (K_2O)"
***In Florida, reads "not more than"

Florida Reg. No. 667-1033 Canadian Reg. No.

Glyph. Grass

In Florida, use on BAHIA, BERMUDA AND ZOYSIA GRASSES ONLY.

lawn (unspecified)

USDA Reg. No. 4985-441

Ingredient Statement as Herbicide:

			Canadian requirement Lbs. Per Ton
* ACTIVE INGREDIENTS:		1.47%	
Silvex (2-(2,4,5-Trichlorophenoxy) Propionic Acid)			6.2
Propylene glycol butyl ether esters*	0.47%		
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid**	1.00%		16.6
INERT INGREDIENTS:		98.53%	
Total		100.00%	

*Equivalent to 0.31% (2-(2,4,5-Trichlorophenoxy) Propionic Acid), or 0.54 lbs. per acre.
**Equivalent to 0.83% 2,4 Dichlorophenoxyacetic Acid (2,4 D), or 1.44 lbs. per acre

DIRECTIONS FOR LAWNS

WHEN TO USE In spring, late summer or fall, when weeds are growing actively and temperature is above 60° F.

WEEDS CONTROLLED: Nutro Weed & Feed controls these weeds in lawns* —

Broadleaf weeds [redacted]	Broad type weeds [redacted]
Dandelion	Common Chickweed
Ragweed	Mouse ear chickweed
Plantain	Little hop clover
Buckhorn	Bur clover
Buttercup	Wild clover
Burdock	Henbit
Mustard	Thyme leaved speedwell
Nutsedge	Toadflax
Lawn pennywort	Knotweed
Pigweed	Spotted spurge
Ground ivy	Black medic
Sow Thistle	Purslane
	Lespedeza

posts

RATE. This bag will treat 5,000 sq. ft. (for smaller areas, use 4 lbs. per 1,000 sq. ft. of lawn area). See spreader setting chart below. DO NOT APPLY MORE THAN RECOMMENDED RATE — EXCESS APPLICATION WILL NOT IMPROVE RESULTS.

FOR BEST RESULTS Apply when grass is wet with dew or wet from sprinkling. This will help the weed killer chemicals stick to the weed surfaces where they do their work. DO NOT WATER FOR 3 DAYS **AFTER APPLICATION** — this would only wash the weed killer chemicals off the weed surfaces. Do not mow for several days before and after application.

IMPORTANT. Use only on established lawns. Avoid drift of dust on vegetables, flowers, ornamental trees and shrubs, and other desirable plants. If some of the material comes in contact with desirable plants, it is recommended that the plants be syringed thoroughly with water as soon as possible. Vapors from this product may injure susceptible plants in the immediate vicinity.
DO NOT store near other fertilizer, seed, insecticides or fungicides. Do not use on bentgrass, St. Augustine grass, carpetgrass and Dichondra as possible injury may result.

CAUTION Avoid inhalation of dust or contact with skin, eyes or clothing. Wash thoroughly after handling. This product is poisonous and toxic to, and will kill, fish. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Do not use where runoff will contaminate water used for irrigational or domestic use.

WARRANTY AND LIMITATIONS OF DAMAGES Borden Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the risks referred to thereon. Borden Inc. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Borden Inc. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or savings, etc.
NOTICE Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but Seller makes NO WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE or any other warranty, express or implied, except as herein stated. Seller's liability is limited to the purchase price of the product and this shall be the buyer's only remedy. Buyer assumes the risk of use of this product contrary to label instructions, carelessly, or under conditions not intended by or not reasonably foreseeable to Seller.
CONDITIONS OF SALE. These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. The distributor, and the seller after, and the buyer uses this product subject to the understanding that the buyer assumes all such risks.

GOOD LAWNS MAKE GOOD NEIGHBORS®

NET WT. SMITH-DOUGLASS / DIVISION OF BORDEN CHEMICAL, BORDEN INC. COLUMBUS, OHIO 43203 **20 LBS.**

SPREADER SETTINGS

Nutro Yellowbird	3
Nutro Rotary Cyclone True Temper & Jackson Whirl Cast No. 5	4
Lawn Beauty & AMC and Modern	5
Scott	5½
Sears and Jackson 20 26	6
Nutro and Central Imperial	6¼
4 Foot Spread	

These settings are approximate. Settings vary with model, age and condition of spreader.

Purchase of this Nutro product entitles you to a free subscription to

NUTRO TURF & GARDEN GUIDE MAGAZINE

Printed in natural color with large pages for easy reading, its seasonal hints and new ideas will save you time and money. If you would like a two year FREE subscription please complete this coupon.

NAME
(please print)

ADDRESS

CITY STATE ZIP

Mail to: Nutro Turf and Garden Guide, P.O. Box 5, Columbus, Ohio 43201

BORDEN

Nutro

WEED & FEED

22-G-G

ACCEPTED
Jun. 29, 1972
4135-441

GUARANTEED ANALYSIS*

TOTAL NITROGEN (N)	22.00%
1.0% Ammoniacal Nitrogen	
14.0% Urea Nitrogen	
7.0% Water Insoluble Nitrogen	
AVAILABLE PHOSPHORIC ACID (P_2O_5)	6.00%
**SOLUBLE POTASH (K_2O)	6.00%
Total Available Primary Plant Food	34.00%
***Chlorine (Cl)	6.50%
Iron (Fe)	1.00%

Derived from-Primary Plant Foods Ammonium Phosphate Urea, Ureaform, Muriate of Potash

Derived from-Secondary Plant Foods Iron Phosphate

Potential acidity equivalent to 960 lbs. Calcium Carbonate per ton

Florida Reg. No. M-7133 Oregon Reg. No.

6 oz per 6 ft in Florida, use on
BAHIA, BERMUDA AND ZOYSIA GRASSES ONLY.

Dacthal (DCPA)

Ingredient Statement as Herbicide

		Carrier Requirement Lbs. Per Ton
* ACTIVE INGREDIENTS	1.67%	
Silvex (2,4,5-Trichlorophenoxy Propionic Acid)		
Propionic (2,4,5-Trichlorophenoxy Propionic Acid)	0.67%	6.2
Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid**	1.00%	16.6
INERT INGREDIENTS	98.33%	
Total	100.00%	

*Equivalent to 0.33 lb. 2,4,5-Trichlorophenoxy Propionic Acid or 0.56 lb. per acre
**Equivalent to 0.84 lb. 2,4-Dichlorophenoxyacetic acid, 2,4-D or 1.44 lb. per acre

DIRECTIONS FOR LAWNS

[illegible]

GOOD LAWNS MAKE GOOD NEIGHBORS!

SMITH-DOUGLASS / DIVISION OF BORDEN CHEMICAL, BORDEN INC.
COLUMBUS, OHIO 43203

NET WT. 20 LBS.

SPREADER SETTINGS

[illegible]	3
[illegible]	4
[illegible]	5
Lawn Boy [illegible]	5
Scott [illegible]	6
[illegible]	6
[illegible]	6

[illegible]

[illegible] NUTRO TURF & GARDEN GUIDE MAGAZINE

[illegible]

NAME

ADDRESS

CITY STATE ZIP