



ACTIVE INGREDIENTS:	
*Carbaryl (1-naphthyl N-methylcarbamate)	10%
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	2%
INERT INGREDIENTS:	
	38%
TOTAL	
	100%

Trade Mark of Union Carbide Corporation for 1-naphthyl N-methylcarbamate.

DIRECTIONS FOR USE

BEANS: Leafhopper, Bean Leaf Beetle, Corn Earworms—Use 13 to 15 lbs. per acre. Do not apply within 7 days of harvest.

CABBAGE, BROCCOLI, BRUSSEL SPROUTS, KALE, COLLARDS: Cabbage Loopers, Cabbage Caterpillars, Flea Beetle, Aphids—Apply 20 lbs. per acre. Do not apply on cabbage after the edible parts start to form. Do not apply to Kale or Collards after the seedling stage. Do not apply to broccoli or brussels sprouts within 7 days of harvest.

CORN: Corn Earworm—Apply 20 lbs. per acre. Make first application as soon as the silks appear. Make 4 applications at 3 day intervals then at 4 day intervals. Do not apply within 10 days of harvest. Do not feed treated storage to dairy animals or animals being finished for slaughter. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.

PEANUTS: Velvetbean Caterpillars, Corn Earworm, Armyworm, Green Clover Worms, Spotted Cucumber Beetle, Thrips, Leafhopper. Apply 10 to 15 lbs. per acre. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter.

POTATOES: Blister Beetle, Colorado Potato Beetle, Flea Beetle, Leaf Hopper, Aphids. Apply 13 to 15 lbs. per acre. Do not apply within 5 days of harvest. Do not feed potato to dairy animals.

POYBEANS: Bean Leaf Beetle, Spotted Cucumber Beetle, Blister Beetle, Velvetbean Caterpillar, Green Cloverworm, Armyworm, Corn Earworm, Thrips. Apply 15 lbs. per acre. Do not apply within 15 days of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter.

NOTICE: Seller warrants that this product conforms to its chemical description and is carbaryl fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but seller makes NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other warranty, express or implied except as herein stated. Seller's liability is limited to the purchase price of the product.

and this shall be the buyers only remedy. Buyer assumes the risk of use of this product contrary to label instructions, carelessly, or under conditions not intended by or not reasonably foreseeable to seller.

WARNING

MAY BE FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. Do not get in eyes or on skin. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide residues have dissipated. Do not contaminate feed and food stuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY—FIRST AID TREATMENT—CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets, each 1-100 grs. at once. Remove patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving salty or soapy water.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Fish feeding on treated areas may be killed. Do not contaminate water by leaching of equipment or disposal of wastes. Apply this product only as specified on this label for protection of honey bees and use it sparingly during periods when honey bees are visiting the crop. When he is ready to use this product, he should wear a warm, long-sleeved shirt and pants, and a hat to protect his face and neck. Do not use it for more than 1 week after application.

Do not reuse empty containers. Destroy them by burying with waste.

WARNING: KEEP OUT OF REACH OF CHILDREN

See Additional Precautions on This Label.

Distributed By SMITH-DOUGLASS

DIVISION OF BORDON CHEMICAL, BORDON INC.
Norfolk, Virginia 23501