

... ..

... ..

... ..

... ..

... ..

... ..

... ..

DANGER



POISON

... ..

... ..

...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...

o container

DANGER—POISON—PRECAUTIONS




CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. It can diges through clothes.



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when birds are nesting or feeding.

Distributed By SMITH-DOUGLASS
Division of Borden Chemical, Borden Inc
Norfolk, Va

STOP! READ THE LABEL

POISON



DANGER

See State Department
for registration information

See State Department
for registration information

4185-472

CAN KILL YOU

S-D SPRAY

(CONTAINS 1 LB. ACTUAL GUTHION PER GALLON)

ACTIVE INGREDIENTS:

*O, O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl) phosphorodithioate 12.20%

Aromatic Petroleum Distillate 79.28%

INERT INGREDIENTS 8.52%

TOTAL 100.00%

U.S. Patent No. 2,758,115; Canadian Patent No. 552,650
Guthion is a Reg. TM of the German trademark proprietor, Bayer AG

NOT FOR HOME USE

IGER

t of
Hlofer

DO NOT USE POUR OR SPRAY EQUIPMENT
HEAT OR OPEN FLAME

POISON SIGN

A sense of tightness in the chest, sweating,
Contracted pupils, Stomach pains, Vomiting and
diarrhea.

FIRST AID TREATMENT

In case of poisoning, call a physician immedi-
ately. Have patient lie down and keep quiet. If
swallowed, induce vomiting by giving a table-
spoonful of salt in a glass of warm water. Ad-
minister milk or water freely and again induce
vomiting until vomit fluid is clear. If on skin,
remove contaminated clothing, and wash skin
immediately with soap and warm water. If eyes
are contaminated, wash with flowing water for
at least 15 minutes.

NOTE TO PHYSICIAN

ANTIDOTE- Administer atropine sulfate in large
therapeutic doses. Repeat as necessary to the
point of tolerance. 2-PAM is also antidotal and
may be administered in conjunction with atropine.
Compound inhibits cholinesterase resulting in
stimulation of the central nervous system, the
parasympathetic nervous system, and the

respiratory system. Administer 2-PAM in 100 mg
doses every 15 minutes until the patient is
able to breathe normally. Administer 2-PAM
immediately if the patient is unable to breathe
normally.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

1) Wear water proof pants, coat, hat, rubber
boots, or rubber overshoes. 2) Wear safety
goggles. 3) Wear mask or respirator approved
by the U. S. Bureau of Mines for protection
against Guthion. 4) Wear heavy duty natural
rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away
from treated area or where there is danger of
drift.

Do not rub eyes or mouth with hands. If you feel
sick in any way, STOP work and get help right
away. Call a doctor (physician) or clinic or hospi-
tal immediately. Explain that the victim has
been exposed to Guthion and describe his condi-
tion. After first aid is given, see First Aid Treat-
ment Section and if a doctor cannot come, take
victim to clinic or hospital.

After use, wash hands and face thoroughly with
water. Wash clothing separately. Do not
wear treated clothing around children or
other persons. Do not eat, drink, or smoke
while using Guthion. Do not use Guthion
around children or other persons. Do not
use Guthion in areas where children or other
persons are present. Do not use Guthion
in areas where children or other persons
are present.

POST TREATED AREA

Consult your State Agricultural Extension Ser-
vice or Experiment Station regarding posting
treated areas.

CONTAINER DISPOSAL

See attached label for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label instructions.

10-73

EPA Reg. No. 4185-472

EPA Pesticide Reg. No. 4185-472

12.20%

79.28%

8.52%

100.00%


Distributed By **SMITH-DOUGLASS**
 DIVISION OF BORDEN CHEMICAL BORDEN INC
 Norfolk Virginia 23501

STOP! READ THE LABEL


USE THIS PUMP NEARBY THE FOLLOWING PROTECTIVE EQUIPMENT AND CONDITIONS:

1. Wear airtight, self-cleaning, hood type respirator with organic vapors and acid gas cartridges. 2. Wear goggles, gloves, and boots or equivalent protection for the entire body. 3. Work in a protected area of 100 feet. 4. Wear protective suit of rubber gloves.


ANTIDOTE: Administer 100 mg of sodium bicarbonate intravenously. Repeat every 15 minutes until the pH is 7.35-7.45. Administer 100 mg of sodium bicarbonate orally every 4 hours until the pH is 7.35-7.45. Administer 100 mg of sodium bicarbonate orally every 4 hours until the pH is 7.35-7.45.



DANGER-POISON-FLAMMABLE
CAN KILL YOU IF SWALLOWED
 This product is extremely toxic. It is a severe irritant to the eyes, nose, throat, and lungs. It is also a skin irritant. It is highly flammable. It is a strong oxidizer. It is a strong irritant to the skin. It is a strong irritant to the eyes. It is a strong irritant to the nose. It is a strong irritant to the throat. It is a strong irritant to the lungs. It is a strong irritant to the entire body.



CAN KILL YOU IF BREATHED
 This product is extremely toxic. It is a severe irritant to the eyes, nose, throat, and lungs. It is also a skin irritant. It is highly flammable. It is a strong oxidizer. It is a strong irritant to the skin. It is a strong irritant to the eyes. It is a strong irritant to the nose. It is a strong irritant to the throat. It is a strong irritant to the lungs. It is a strong irritant to the entire body.



POISONOUS TO FISH AND BIRDS
 This product is extremely toxic. It is a severe irritant to the eyes, nose, throat, and lungs. It is also a skin irritant. It is highly flammable. It is a strong oxidizer. It is a strong irritant to the skin. It is a strong irritant to the eyes. It is a strong irritant to the nose. It is a strong irritant to the throat. It is a strong irritant to the lungs. It is a strong irritant to the entire body.



S-D SPRAY

DANGER: KEEP OUT OF REACH OF CHILDREN

See additional warnings and antidote statements on label attached to container

FLIP ←

DANGER--POISON--PRECAUTIONS

