




ACTIVE INGREDIENTS	
Parathion	6.33
Endosulfan (hexachlorocyclohexa-1,3-diene 2,4,6-trisulfoxide)	12.66
Xylene base aromatic petroleum solvent	75.88
INERT INGREDIENTS	5.13
Total	100.00

Net Weight 10.00 pounds (4.54 kilograms) phosphorothioate
EVS-1000 is a registered trademark of Smith-Douglas
EVS-1000 is a registered trademark of Smith-Douglas
EVS-1000 is a registered trademark of Smith-Douglas

DANGER




POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote and other warnings on side panel

DISTRIBUTED BY SMITH-DOUGLASS

Division of Borden Chemical, Borden Inc.
Norfolk, Va. 23501



DANGER

Poisonous if Swallowed, Inhaled or Absorbed Through Skin! Rapidly Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Keep all unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Not for use or storage in or around the home.

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea, and discomfort in chest. **ANTIDOTE:** Atropine is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand. **CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

FIRST AID TREATMENT: IF SWALLOWED: Give tablespoonful of salt in warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet. **INHALATION:** Remove patient from contaminated atmosphere. **SKIN:** In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water. **EYES:** In case of contact, flush immediately with water for at least 15 minutes. **INFORMATION FOR PHYSICIAN:** (Treatment) Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Administer 2-PAM as an adjunct to Atropine, not as a substitute. 2-PAM should be administered **SLOWLY** intravenously if the patient fails to respond satisfactorily to Atropine. Dosage: 1 gr. for adults, 0.25 gr. for children. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

Parathion is a cholinesterase inhibitor. Atropine is antidotal. Give 4 mg. intramuscularly or intravenously and repeat every 15 minutes until patient is fully atropinized. If cyanotic, give artificial respiration. Pyridoxime chloride (2-PAM) should be used in treatment.

Endosulfan is a central nervous system stimulant. There is no specific antidote. Barbituric acid derivatives may be used for convulsions. Treat symptomatically.

This product is toxic to fish and wildlife. Birds feeding in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DISPOSAL WARNING: Do not reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container completely. Exercise caution and stay well away from the smoke.

WARNING — FLAMMABLE

KEEP AWAY FROM HEAT AND OPEN FLAME.

KEEP CONTAINER CLOSED.

LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

DESTROY CONTAINERS WHEN EMPTY.

CAUTION: DO NOT USE IN UNDILUTED FORM.

DO NOT STORE AT TEMPERATURES BELOW 20° F.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

USE CAUTION. DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROPS AREA. USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH DIRECTIONS. BECAUSE PLANTS ARE EXTENSIVE RESIDUES OR OTHER UNDESIRABLE RESULTS MAY BE CAUSED.

THIS PRODUCT IS HIGHLY TOXIC TO BEES EXPOSED TO DURING TREATMENT OR RESIDUES ON CROPS. FOR MORE INFORMATION, MAY BE OBTAINED FROM YOUR REPRESENTATIVE OR FROM THE MANUFACTURER.

DIRECTIONS FOR USE

Apply the dosages indicated per acre in the proper amount of water to give thorough coverage of the plant. To apply by airplane, dilute product in approximately 3 to 10 gallons of water per acre consistent with crop growth and good coverage. Observe days interval between last application and harvest indicated by number in parenthesis following crop.

BROCCOLI (7): CABBAGE (10): To control Cabbage Aphids, Cabbage Looper, Imported Cabbageworm, Diamondback Moth Larvae, Cross-striped Cabbageworm, Flea Beetle, Harlequin Bug, Stink Bug—use 3 to 4 qts per acre.
CAULIFLOWER: To control Cabbage Looper, Imported Cabbageworm, Diamondback Moth Larvae, Cross-striped Cabbageworm—use 3 qts per acre. To control Flea Beetle, Harlequin Bug, Stink Bug—use 3 qts per acre. Do not apply after edible parts begin to form.

CUCUMBERS (15): PUMPKINS (15): SUMMER SQUASH (15): WINTER SQUASH (15): To control Aphids, Cucumber Beetles—use 2 to 4 quarts per acre. Do not apply before vining.

HEAD LETTUCE (14): To control Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbage Worm—use 3 to 4 qts per acre. Do not make more than 3 applications after thinning. Remove wrapper leaves. Do not feed crop refuse to livestock.

MELONS (7): To control Aphids, Cucumber Beetles—use 2 to 4 qts per acre. To control Cabbage Looper, Omniverous Leaf Roller—use 4 qts per acre.

PEPPERS (15): To control Flea Beetle, Green Peach Aphid—use 2 qts per acre.

POTATOES (5): To control Flea Beetle, Colorado Potato Beetle, Leafhopper, Aphids, Southern Armyworm, Green Stink Bug, Leaf-footed Plant Bugs and other Plant Bugs, Potato Tuberworm, Whitefly—use 2 to 4 qts per acre. To control False Chinch Bug—use 4 qts per acre. To control Potato Psyllid—use 3 to 4 qts per acre. Do not plant root crops other than carrots, potatoes and sweetpotatoes as follow up crops.

SUGAR BEETS (15): Green Peach Aphid, Sugar Beet Webworm, Meadow Spittlebug, Leafhoppers, Buster Beetles, Flea Beetles, Cutworms, Armyworms, Grasshoppers, Leaf Miner—use 2 to 4 qts per acre. Apply when insects first appear and repeat as required. Do not feed treated beet tops to livestock.

TOMATOES (10): To control Aphids, Buster Beetle, Colorado Potato Beetle, Flea Beetle, Green Stink Bug, Whitefly—use 2 qts per acre. To control Hornworm—use 2 to 4 qts per acre.

COTTON: To control Spider Mite, Desert Spider Mite, Tawny Spider Mite, Two-spotted Spider Mite, Aphids, Cotton Leafworm, Cabbage Looper—use 3 qts per acre. NOTE: Do not apply after 25% of the bolls open. Do not graze dairy or meat animals in treated fields. Workers entering fields within 24 hours after application should wear protective clothing. Do not hand pick or harvest within 7 days of application.

TOBACCO: To control Budworm and Tobacco Budworm—use 3 to 4 pints per acre. To control Cabbage Looper, Flea Beetle, Green Peach Aphid and Hornworm—use 2 to 4 quarts per acre. For Vegetable Weevil—use 4 qts per acre.

NOTE: Do not apply within 5 days of pruning or within 15 days of putting. Do not enter fields within 24 hours of application. Protective clothing should be worn during application.

TOBACCO (PLANT BED TREATMENT): Green Stink Bug Larvae—2 qts per 100 gallons. As first sign of infestation, apply as a drench using 1 gallon spray mixture per square yard of planted area.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. Seller makes NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE or any other warranty, express or implied, except as herein stated. Seller's liability is limited to the purchase price of the product and this shall be the buyer's sole remedy. Buyer assumes the risk of loss of this product. Seller, its agents, and its representatives, and underwriters, shall not be liable for consequential damages.

9-72

ACCEPTED

EPA Reg. No. 1165-479

4185-479