

ACTIVE INGREDIENTS:

Toxaphene Technical Chlorinated Camphene
(Chlorine Content 67-69%)
Carbaryl (1-naphthyl N-methylcarbamate)
O,O-Dimethyl O-p-nitrophenyl thiophosphate


INERT INGREDIENTS:

TOTAL

14.0%
7.0%
2.0%
77.0%
100.0%

(Contains 14% Toxaphene—7% Sevin—2% Methyl Parathion)

*Trademark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.



DIRECTIONS

COTTON: To control Thrips, apply at the rate of 10 lbs. per acre. To control Boll Weevils, Bollworms, Fleahoppers, Cutworms and Red Spider Mites, make 4 applications at 15 lbs. per acre beginning at 8 leaf stage. Resume applications on July 24 at 15 lbs. per acre, at 5 day intervals, until plant stops squaring. Do not pasture dairy animals or animals being finished for slaughter in treated fields. Do not apply within 5 days of hand picking. When necessary to enter treated fields within 24 hours after treatment, protective clothing should be worn.

DANGER

MAY BE FATAL IF SWALLOWED, inhaled, or absorbed through skin. Rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Wash hands arms and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re use. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re entered until drifting insecticides and volatile residues have dissipated. Workers entering a treated field within 5 days of an application should wear protective clothing. Do not contaminate feed and foodstuffs. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Dispose of wastes by burying in non crop lands away from water supplies. Containers should be disposed of by burying with wastes. For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

Not for use or storage in or around the home.

Poisoning Symptoms: Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in the chest. **ANTIDOTE:** ATROPINE is the specific antidote. 2 PAM is also antidotal and may be administered in conjunction with atropine. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

IF SWALLOWED—Give tablespoonful of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION—Remove patient from contaminated atmosphere.

SKIN—In case of contact, remove contaminated clothing, and immediately wash skin thoroughly with soap and water.

EYES—In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN (Treatment)—Give atropine preferably by injection, grain 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. 2 PAM is also antidotal and may be administered in conjunction with atropine.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but seller makes **NO WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE** or any other warranty, express or implied, except as herein stated. Seller's liability is limited to the purchase price of the product and this shall be the buyer's only remedy. Buyer assumes the risk of use of this product contrary to label instructions, carelessly or under conditions not intended by or not reasonably foreseeable to seller.

POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

See other warnings on this label

Distributed by SMITH-DOUGLASS

Division of Borden Chemical, Borden Inc.

Model No. 22501

HSBA Reg. No. 4185-482