

99-A92

850-100

ACTIVE INGREDIENTS
Toxaphene (Technical Chlorinated Camphene)
(Chlorine Content 67.69%)
Carbaryl (1-naphthyl N-methylcarbamate)
INERT INGREDIENTS

TOTAL

14.0%
7.0%
79.0%
100.0%

(Containing 14% Toxaphene - 7% Sevin*)

*Trademark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate

DIRECTIONS


Follow recommendations of the rate of 10 lbs per acre. To control Boxwood, Wisteria, Privet, and similar plants, make 4 applications at 15 lb per acre and repeat after 7 days. For control of Japanese Beetle, 24 lbs per acre at 15 lb per acre. For control of Japanese Beetle, 24 lbs per acre at 15 lb per acre. For control of Japanese Beetle, 24 lbs per acre at 15 lb per acre.

Aerosol: Use 1/2 oz. per square yard, spraying at 10 ft. distance. Apply at 70° F. or above. Direct the spray so that even coverage is obtained. Do not spray on windy days. If possible, avoid direct sunlight during spraying. Do not spray on windy days. If possible, avoid direct sunlight during spraying.

Concentrate: Use 1/2 oz. per square yard, spraying at 10 ft. distance. Apply at 70° F. or above. Direct the spray so that even coverage is obtained. Do not spray on windy days. If possible, avoid direct sunlight during spraying. Do not spray on windy days. If possible, avoid direct sunlight during spraying.

CAUTION

Do not eat, drink, or smoke while using this product. Avoid contact with eyes and skin. Wash hands thoroughly after handling.



Wash hands thoroughly with soap and water. Wear protective clothing if a type specified by the U.S. Bureau of Mines for protection against insecticides apply when weather conditions favor drift of dust from spray. In general, persons not operating spray equipment when they may be danger of spray drift should not be permitted to enter the treated area until spray drift has stopped. After spraying, do not walk through treated areas. Avoid spraying on windy days. If possible, avoid direct sunlight during spraying. Do not spray on windy days. If possible, avoid direct sunlight during spraying.

This product is toxic to fish and waterfowl. Do not spray directly onto any body of water or onto dry land where it may be washed into streams, ditches, or waterways. When spraying, avoid drift onto water bodies. Do not spray on windy days. If possible, avoid direct sunlight during spraying.

Do not spray on windy days. If possible, avoid direct sunlight during spraying.

Do not spray on windy days. If possible, avoid direct sunlight during spraying.

Do not spray on windy days. If possible, avoid direct sunlight during spraying.

Do not spray on windy days. If possible, avoid direct sunlight during spraying.

CAUTION: KEEP OUT OF REACH OF CHILDREN

DISTRIBUTED BY SMITH-DOUGLASS
Division of Borden Chemical, Borden Inc.
NORFOLK, VA. 23501