



ACTIVE INGREDIENTS:	
Maneb (Manganese ethylenebisdithiocarbamate)	4%
Parathion (O,O diethyl O p nitrophenyl thiophosphate)	1%
INERT INGREDIENTS:	95%
TOTAL	100%

DIRECTIONS FOR USE

TOBACCO (PLANT BED) To control Tobacco Blue Mold, Flea Beetles, Midge and Crane Fly Larvae, Aphids and Green June Beetle Grubs—make first application when plants are about the size of a dime. Follow with applications twice weekly up to transplanting time.

AMOUNT OF DUST REQUIRED TO COVER PLANTS

- 1st to 4th application—1½ lbs. per 100 square yards
- 5th to 6th applications—2 to 2½ lbs. per 100 square yards
- All other applications—3 to 3½ lbs. per 100 square yards

DANGER

May be fatal if swallowed, inhaled, or absorbed through skin. Avoid breathing dust. Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator effective for protection against Parathion. Information as to suitable types of masks or respirators is available from the U.S. Bureau of Mines for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

If used it is poisonous to fish and wildlife. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift of dust from treated areas.

Do not feed or treat areas may be killed. Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Dispose of wastes by burying in non crop lands away from water supplies. Containers should be disposed of by burying with wastes, or by burning (Keep out of smoke).

POISONING SYMPTOMS: Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in the chest.

ANTIDOTE: ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1 mg. tablets from your physician. Keep on hand.

CALL A PHYSICIAN IMMEDIATELY if persons handling or working with Parathion develop poisoning symptoms.

IF SWALLOWED: Give tablespoonful of salt in glass of warm water. Repeat until vomit flows clear. Have victim lie down and keep quiet.

INHALATION: Remove patient from contaminated atmosphere. **SKIN:** In case of contact, remove contaminated clothing and immediately wash thoroughly with soap and water. **EYES:** In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Treatment: Give atropine preferably by intravenous route, 1 mg. to 1.5 mg. at once and every 15 to 30 minutes as needed to achieve and maintain full atropinization. Never give morphine. Clear gastric and intestinal drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

NOTICE: Seller warrants that this product conforms to the chemical description and is suitable for the purposes stated on the label when used in accordance with the directions, precautions and conditions of use, but seller makes NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE or any other warranty, express or implied, except as stated. Seller's liability is limited to the purchase price of the product. The buyer assumes all responsibility for the use of the product contrary to the label directions. Conditions not intended to be construed as a contract.

DANGER



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

Mar. 2, 1972

4185-5

Distributed by SMITH DOUGLASS
Division of Borden Chemical, Borden Inc.
Norfolk, Virginia 23501