

FARM CHEMICALS

ACTIVE INGREDIENT Methomyl
S-methyl-N-(methylcarbamoyloxy)thioacetim-date
INERT INGREDIENTS

2%
98%
100%
TOTAL

Directions for Use on Tobacco and Cabbage

Smith-Douglass 2% Methomyl Insecticide Dust is recommended for control of certain insects on tobacco and cabbage. Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings.

Application: Apply at the recommended rates when insects first appear. Continue applications at 5 to 7 day intervals as needed. Apply the low rates on small plants, small worms and light infestations of insects. Use intermediate rates on larger worms and heavier infestations of insects. Use 1 to 2 applications at the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control. The number of days in parentheses following the suggested rates is the pre-harvest interval which must be allowed between the last application and harvest.

Tobacco (Except Shade Tobacco): Flea beetle, 12 to 23 lbs. per acre, begin when worms first appear in field. Hornworm, 12 to 23 lbs. per acre, begin before largest worms exceed 1 inch. Cabbage looper, 23 lbs. per acre, begin when worms first appear. Budworm, 23 lbs. per acre, begin when worms first appear. Apply before worms reach 1st stage of growth. 7 days before harvest. 14 days before harvest.

Cabbage: 1 lb. per imported cabbage worm, diamondback moth, 25 lbs. per acre, 14 days before harvest.

WARNING

WARNING: HARMFUL IF SWALLOWED OR INHALED. Do not breathe dust. Do not get on face. In case of contact, wash skin with plenty of soap and water. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product.

When using and making or respirator of any type, such as for protection against dust, and when working with this product, wash hands thoroughly with soap and water. Do not eat, drink, or smoke while using this product. A mask or respirator approved by the U. S. Bureau of Mines should be used when this product is handled.

ANTIDOTE AND FIRST AID

If swallowed: Give 1 to 2 glasses of water. If inhaled: Get to fresh air. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product.

If swallowed: Give 1 to 2 glasses of water. If inhaled: Get to fresh air. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below) before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.) thereafter every 10 to 15 minutes. Take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary. If throat is moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

Warning Symptoms: Methomyl poisoning produces effects similar to those with carbamate pesticides. At first, there is weakness, blurred vision, headache, nausea, vomiting, diarrhea, and sweating. In severe cases, there is difficulty in swallowing and pulseless muscular paralysis.

Treatment: Atropine should be used for treatment. Administer atropine tablets (1/100 gr.) every 10 to 15 minutes until throat is dry and skin is dry and flushed. Methomyl poisoning is not fatal. Atropine should be continued until patient is fully recovered. If patient is fully recovered, give 1 to 2 glasses of water. If patient is not fully recovered, give 1 to 2 glasses of water. If patient is not fully recovered, give 1 to 2 glasses of water.

Do not give anything by mouth to an unconscious person.

IMPORTANT

WARNING: HARMFUL IF SWALLOWED OR INHALED. Do not breathe dust. Do not get on face. In case of contact, wash skin with plenty of soap and water. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product.

When using and making or respirator of any type, such as for protection against dust, and when working with this product, wash hands thoroughly with soap and water. Do not eat, drink, or smoke while using this product. A mask or respirator approved by the U. S. Bureau of Mines should be used when this product is handled.

ANTIDOTE AND FIRST AID: If swallowed: Give 1 to 2 glasses of water. If inhaled: Get to fresh air. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product.

If swallowed: Give 1 to 2 glasses of water. If inhaled: Get to fresh air. If eyes get on face, wash with water for 15 minutes. Get medical attention to remove and wash from contact with this product. Never give anything by mouth to an unconscious person.

WARNING: KEEP OUT OF REACH OF CHILDREN

See other WARNINGS on this label

Distributed by SMITH-DOUGLASS
DIVISION OF BORDEN CHEMICAL, BORDEN INC.
Norfolk, Virginia 23501

4/18-1/2/1
ACCEPTED

6-73