

DANGER

Do not get in eyes, on skin or on clothing. Do not breathe fumes. Wear natural rubber gloves, waterproof protective clothing and goggles. In case of contact wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for protection from Endrin and Guthion. Keep all unprotected persons out of the operating areas. Vacated areas should not be re-entered for 2 days so that any drifting insecticide and volatile residues have been dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated cloth clothing with soap and hot water before re-use. This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.


FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have patient lie down and keep quiet. **CALL A PHYSICIAN.**
INHALATION: Remove patient from contaminated atmosphere.
SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.
EYES: In case of contact, flush immediately with water for at least 15 minutes.
INFORMATION FOR PHYSICIAN (TREATMENT): Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg) at once and every hour or oftener as needed to achieve and maintain full atropinization. 2-PAM is also antidotal and may be administered in conjunction with atropine. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. There is no specific antidote for Endrin poisoning. Endrin causes central nervous system stimulation. In case of poisoning administer barbiturates as for anti-convulsant activity.

CONTAINER DISPOSAL

DO NOT re-use the container. Completely empty contents and bury unused chemical at least 18 inches deep in an isolated location away from water supplies.
GLASS CONTAINER: Break container and bury pieces at least 18 inches deep in isolated location away from water supplies.
METAL CONTAINERS: 1-GALLON CANS: Pour 1 pt. of water into empty can and add 1 tablespoonful household detergent. Rotate can carefully to wet all inner surfaces with the solution. Bury rinse solution at least 18 inches deep in an isolated location away from water supplies. Punch holes in top and bottom of can, crush can, and bury deeply in an isolated location.
5-GALLON, 30-GALLON and 55-GALLON DRUMS: Pour following mixture into empty containers: 5-Gallon Drum—2qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent; 30-Gallon Drum—3 gallons water, 1 lb. caustic soda (household lye), 1/2 cup detergent; 55-Gallon Drum—5 gallons water, 2 lb. caustic soda (household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.
DANGER: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes or on clothing. **Read and carefully follow precautions on package.** Punch holes in top and bottom of container. Crush container. Bury deeply in isolated area.

ACCEPTED



COTTON POISON

Contains 1 1/2 lb. Endrin and 1 1/2 lb. Guthion per gallon. Insecticides Regulation Division, EPA

ACTIVE INGREDIENTS:	
Endrin (Hexachlorocyclohexane hydro-endo-endo-dimethanonaphthalene)	17.97%
0,0-Dimethyl S-(4-oxo-1, 2, 3-benzotriazin-3 (4H)-yl) methyl phosphorodithioate	11.23%
Aromatic Petroleum Distillate	63.75%
INERT INGREDIENTS:	7.05%
TOTAL	100.00%

GUTHION is a Reg. TM of the German trademark proprietor, Leverkusen.

DANGER



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote and other warnings on side panels

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.
NOT FOR USE OR STORAGE IN OR AROUND THE HOME.**

Distributed by **SMITH-DOUGLASS**
Division of Borden Chemical, Borden Inc.
Norfolk, Virginia 23501

IF THE

Punch holes in top of container should be exercised to in fumes. Do not attempt to burn in

Application should be made only. This product is an emulsifiable cotton. For early season control of good coverage. For mid and late season control use 1 1/2-2 pints per acre. Care should be taken that this m

Cotton which has received app for slaughter. Do not feed tras entering fields on the day of app. Do not allow this material to accordance with directions, beca. Do not breathe dust or spray mis. Dealers should sell in Original P.

WORKERS ENTERING THE FIELD SHOULD WEAR PROTECTIVE CLOTHING

For aircraft application Use v ground spray equipment. Use w

DO NOT

NOTICE: Seller warrants that t on the label when used in acc MERCHANTABILITY or FITNESS. stated Seller's liability is lim assumes the risk of use of the reasonably foreseeable to seller.



COTTON POISON 5

ACTIVE INGREDIENTS:

Endrin (Hexachlorocyclohexane, gamma isomer)	17.97%
O,O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-yl) methyl phosphorodithioate	11.23%
Aromatic Petroleum Distillate	63.75%
INERT INGREDIENTS	7.05%
TOTAL	100.00%

GUTHION is a Reg. TM of the German trademark proprietor, Leverkusen.

DANGER



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote and other warnings on side panels

DANGER: Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panel for additional required warning statements

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

Distributed by SMITH-DOUGLASS

Division of Borden Chemical, Borden Inc.
Norfolk, Virginia 23501

IF THE ABOVE RINSE METHOD CANNOT BE USED

Punch holes in top of container and burn in hot fire until all paint has been completely burned off container. Extreme care should be exercised to insure that containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than 5 containers at one time.

RECOMMENDATIONS

Application should be made only by experienced personnel using approved protection equipment. This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton. For early season control of aphids, thrips, and fleahoppers use 1 pint per acre of this material in sufficient water to give good coverage. For mid and late season control of boll weevil, bollworm, thrips, aphids, fleahoppers, lygus and other plant bugs and leafworm use 1 1/2-2 pints per acre of this material in sufficient water to give good coverage. Care should be taken that this material is not allowed to drift onto neighboring crop or non-crop areas.

USAGE CAUTION

Cotton which has received applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter. Do not feed trash from treated cotton to such animals. Do not apply within 7 days of hand picking. Workers entering fields on the day of application should wear waterproof protective clothing. Do not allow this material to drift onto neighboring crop or non-crop areas or use in a manner or at a time other than in accordance with directions, because plant injury, excessive residues or other undesirable results may occur. Do not breathe dust or spray mist. Dealers should sell in Original Packages Only.

WORKERS ENTERING THE FIELDS WITHIN 24 HOURS AFTER APPLICATION OF ENDRIN AND GUTHION SHOULD WEAR PROTECTIVE CLOTHING

Use only as recommended.

For aircraft application, use with 3 to 10 gallons of water per acre consistent with crop growth and good coverage. For ground spray equipment, use with 10 to 25 gallons of water per acre.

DO NOT USE THIS CONTAINER FOR ANY PURPOSE

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but seller makes NO WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE or any other warranty, express or implied, except as herein stated. Seller's liability is limited to the purchase price of the product and this shall be the buyers only remedy. Buyer assumes the risk of use of this product contrary to label instructions, carelessly or under conditions not intended by or not reasonably foreseeable to seller.